RENNOW
PROJECTS



PPE AND CORPORATE WEAR

CATALOGUE

www.rennow.co.za

RENNOW
PROJECTS

SAFETY FITS LIKE A GLOVE.



★★★★★
PREMIUM QUALITY

RENNOW PROJECTS

TABLE OF CONTENTS


HEAD PROTECTION 01


EYE PROTECTION 07


RESPIRATORY PROTECTION 15


HAND PROTECTION 18


REFLECTIVE WEAR 138


RAIN WEAR 142


WINTER WEAR 147


LEATHER 151


DISPOSABLE WEAR 157


WORKWEAR 161


FOOT PROTECTION 165


SITE SAFETY 169

RENNOW PROJECTS



CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

HEAD PROTECTION

RENNOW PROJECTS

HARD HATS

- Item Code: H001
- Standard SANS 1397:2003
- One size fits all
- 285g assembled weight
- 6 point suspension
- 270° degree gutter
- Pack: 20 units per clear bag


H001-R


H001-BLK


H001-G


H001-Y


H001-PURPLE


H001-B


H001-SASOL


H001-LIME


H001-GL


H001-PINK


H001-W


H001-O

CLAMP BRACKET

- Item Code: H003
- SABS approved
- Metal lamp attached to the front
- Cable clip attached to the back left,to keep cable away from the face
- Pack: 20 units per clear bag


H003-Y


H003-GL


H003-W


H003-B


H003-R


H003-BL


H003-G


H003-O


H003-PINK


H003-SASOL

NIKKI HARD HAT

- Item Code: NIKKI
- Lightweight plastic offers excellent rigidity and protection
- Air vents can be opened or closed by the turn of a hand
- Contoured rain channel offers maximum lateral rigidity, Ideal for high angle work environments
- High dielectric strength.
- One handed adjustable ratchet
- Shock absorbing


NIKKI SASOL


NIKKI-Y


NIKKI-O


NIKKI-W


NIKKI-G


NIKKI-B


NIKKI-GL

CHIN STRAPS


CHIN02
2 point



CHIN03
3 point


CHIN04
4 point


H001-PL
6 point inner

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS



BUMP CAPS

- EN 812 Standards
- Extremely Durable
- Ergonomic Design
- 100 % Cotton


H006-BLK


H006-NAVY

BASEBALL CAP

- EN 812 Standards
- Extremely Durable
- Ergonomic Design
- 100 % Cotton


H012-NB


H012-G


H012-BLK


H012-W


H012-GN


H012-B


H012-R

BUSH HAT

- Item Code: H007 / H008 / H010
- H007: Orange with reflective tape
- H008: Lime with reflective tape
- H010: Orange without reflective tape easy for embroidery
- Pack: 100 in a carton


H010


H008


H007

SUN BRIM


- Item Code: SB001/SB002
- Offers excellent protection from the sun
- Reflector option offers increased visibility in all kinds of light.


SB001


SB002


EAR PLUGS

- Item Code: EP001
- Reusable corded ear plug
- Material: TPR
- Approved to EN352-2
- Standard noise reduction 34 dB
- Pack: 100 in a box,1000 in a carton



EP001

- Item Code: EP001-1
- Disposable corded ear plug
- Material: Foamed PU
- Approved to EN352-2
- Standard noise reduction 34 dB
- Pack: 100 in a box, 1000 in a carton




EP001-1

- Item Code: EP001-2
- Disposable Uncorded ear plug
- Material: Foamed PU
- Approved to EN352-2
- Standard noise reduction 34 dB
- Pack: 200 in a box, 2000 in a carton



EP001-2

- Item Code: EP001-BAND
- Reusable ear plug with detachable cord
- Material: Silicone
- Easy to insert
- High visibility,Fluorescent Green
- Pack: 20 in a box



EP001-BAND

DISPENSER

- Item Code: EP-DISP
- Ear plug dispenser can be placed on any surface or wall mounted
- Holds 250 pairs
- **Refills sold separately**
- Pack: 4 units in a carton



EP-DISP

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

EAR MUFF - PIONEER BLUE

- Item Code: EP040
- Class leading blue ear muff
- Material: Polycarbonate
- SNR: 28 dB
- Pack: 50 units in a carton



EAR MUFF - PIONEER RED

- Item Code: EP002
- Economic Ear Muff
- Comfortable and robust
- Material: PE
- SNR: 27 dB
- Pack: 50 units in a carton



EAR MUFF - SONIC EAR DEFENDER

- Item Code: EP003
- Twin mounted cups
- Standard EN352-1 2002
- SNR: 32 dB
- ABS cup for impact resistance
- Comfortable
- Pack: 40 units in a carton



EAR MUFF - SONIC EAR DEFENDER

- Item Code: EP007
- Twin mounted cups
- Self adjusting ABS cups
- SNR: 26 dB
- Can be worn with safety helmet
- Comfortable
- Pack: 50 units in a carton



CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053


PIONEER SAFETY
PREMIUM QUALITY

EURO SPEC

- Polycarbonate Mono Lens
- Vinyl adjusted temples
- Ergonomic design ensures a snug fit
- Fits with respiratory equipment
- Anti Fog Lens (Clear only)
- Anti Glare Lens (Amber,Grey,Green)
- Scratch resistant
- 180° Lateral vision
- Standard EN166-F
- Pack: 12 in a box, 300 in a carton


PV001


PV001-G


PV001-GL


PV001-A


PV001-AFOG

WRAP AROUND

- Polycarbonate Mono Lens
- Polycarbonate temples with ventilation
- Ergonomic design ensures a snug fit
- Fits with respiratory equipment
- Can be used with prescription glasses
- Scratch resistant
- 120° Lateral vision
- Standard EN166-F
- Pack: 12 in a box, 300 in a carton


PV002-G


PV002-A


PV002


PV002-AFOG

LASER

- Polycarbonate Lens
- Ergonomic design ensures a snug fit
- Fits with respiratory equipment
- Soft nose seat for comfort
- Scratch resistant
- Anti Glare Lens
- UV Protection
- Anti Fog Lens
- 180° Lateral vision
- Standard EN166-F
- Pack: 12 in a box, 300 in a carton


PV009-GL


PV009-M


PV009

RENNOW PROJECTS

SPORTY

- Polycarbonate Mono Lens
- Wide vinyl temples
- Ergonomic design ensures a snug fit
- Fits with respiratory equipment
- Anti Fog Lens (Clear and Amber)
- Anti Glare Lens (Mirror,Green,Grey)
- Scratch resistant
- 120° Lateral vision
- Standard EN166-F
- Pack: 12 in a box, 300 in a carton


PV003


PV003-GL


PV003-A


PV003-G


PV003-M


PV003-AFOG


PV003A-AFOG

O-VISION

- Polycarbonate Frame
- Polycarbonate Lens
- Ergonomic design ensures a snug fit
- Soft nose seat for comfort
- Suitable for most activities
- Sleek sporty design
- Scratch resistant
- 180° Lateral vision
- Standard EN166-F
- Pack: 12 in a box, 300 in a carton


SG012-G


SG012-GL


SG012-A


SG012

CLASSIC

- Polycarbonate Lens
- Soft nose seat for comfort
- Sleek new design
- Scratch resistant
- Compatible with respiratory equipment
- Anti Fog
- Anti Glare
- 180° Lateral vision
- Standard EN166-F
- Pack: 12 in a box, 300 in a carton


PV004


PV004-GL

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

SPIDER

- Polycarbonate Lens
- Ergonomic design ensures a snug fit
- Fits with respiratory equipment
- Anti Fog Lens
- Anti Glare Lens (Amber,Grey,Green, and Mirror)
- Suitable for construction and engineering
- UV Protection
- 120° Lateral vision
- Standard EN166-F
- Pack: 12 in a box, 300 in a carton



PV008



PV008-BM



PV008-GL



PV008-A

GAUZED

- Frame Material Polycarbonate
- One size fits all
- Mesh Lens
- Lens colour Black
- Can be used with Prescription glasses
- 120° Lateral vision
- Pack: 12 in a box, 300 in a carton



PV011

SPOGGLE

- Frame Material Nylon
- One size fits all
- Polycarbonate Lens
- Anti Fog Lens
- Elasticated head band
- Dual frame for prescription glasses
- Scratch resistant
- Soft rubber face seal
- 180° Lateral vision
- Pack: 12 in a box, 300 in a carton
- Colour: Clear and Grey



SG013



SG013-GL

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

3 IN 1 SPECTACLE

- Item Code: SG014 / SG014GL
- Polycarbonate Lens
- Lens colour: clear / grey
- Accessories: elastic head band
- Scratch proof exterior, permanent anti-fog interior
- Non-slip arm to prevent pressure points
- Large field of vision, narrow geometry allows helmet and bump cap to be worn comfortably
- Bevelled edge in upper area
- Pack: 12 in a box, 144 in a carton



SG014



SG014GL

SP GOGGLE

- Item Code: SG015
- Polycarbonate Lens
- Lens colour: clear / grey
- Accessories: very soft, light textured elastic head band
- Scratch proof exterior, permanent anti-fog interior
- Non-slip arm to prevent pressure points
- Large field of vision, narrow geometry allows helmet and bump cap to be worn comfortably
- Bevelled edge in upper area
- Pack :12 in a Box, 144 in a Carton



SG015

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

VISION GOGGLES

- Item Code: PV006 - Direct Vent
- Clear Polycarbonate Lens
- One size fits all
- Compatible with respiratory equipment
- Scratch resistant anti fog lens
- 120° Lateral vision
- Standard EN166F
- Pack: 100 in a box



PV006

- Item Code: PV007 - Indirect Vent
- Clear Polycarbonate Lens
- One size fits all
- Indirect dual ventilation system
- Compatible with respiratory equipment
- Scratch resistant anti fog lens
- 120° Lateral vision
- Standard EN166F
- Pack: 100 in a box



PV007

MAXI VIEW

- Item Code: SG010
- Maxi View Goggle
- Clear Polycarbonate Lens
- 25mm elasticated adjustable headband
- High quality vinyl frame
- Efficient indirect ventilation system
- Can be used with prescription glasses
- Compatible with respiratory equipment
- Scratch resistant anti fog lens
- 180° Lateral vision
- Standard EN166F
- Pack: 100 in a box



SG010

BRAZING/CUTTING

- Item Code: SG002-B
- Red Flip Front Welding Goggle
- Shade 5 Lens
- Soft rubber face seal
- Ergonomic design fits comfortably to the contours of the face
- Efficient indirect ventilation system
- Compatible with respiratory equipment
- Pack: 100 in a box



SG002-B

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

FACE SHIELD

- Item Code: WH007
- Clear Polycarbonate visor
- One size fits all
- Thickness: 2mm
- Size: 190mm x 210mm
- Applicable for impact resistance, dust isolation chemical splash isolation
- High impact 120m/s (a special test rig fires a 6.35mm ball)
- Brow guard with adjustable headband
- Anti UV380, high temperature resistance 130° C
- Colour: Clear
- Pack: 10 in a box, 40 in a carton



WH007

VISOR

- Item Code: WH007-COVER
- Pack: 100 in a box



WH007-COVER

CAP ATTACHMENT

- Item Code: WH019-ALU
- Aluminium cap attachment for hard hat
- Pack: 100 in a box



WH019-ALU

FACE SHIELD - MESH VISOR

- Item Code: WH030
- Protective mesh visor
- One size fits all
- Brow guard with adjustable headband
- Pack: 40 in a box



WH030

PREMIUM FACE SHIELD - CLEAR

- Item Code: WH017 - clear
  WH018 - shaded
- Polycarbonate visor
- Thickness: 2mm
- Size: 190mm x 210mm
- Application: impact resistant, dust isolation, chemical splash isolation
- High impact 120m/s
- Anti UV 380, high temperature resistant 180°C
- Colours: clear / green (shade 5)
- One size fits all
- Brow guard with adjustable headband
- Pack: 20 in a box



WH017



WH018

REPLACEMENT VISOR

- Item Code: WH017-COVER
- Replacement visor
- Pack: 100 in a box



WH017-COVER

MEDICAL FACE SHIELD

- Item Code: WH050
- Clear face shield
- Foam head protector for comfort
- Provides protection against dust and liquids
- Thickness: 0.25mm
- Size: 320mm x 220mm
- Pack: 200 in a Box



WH050

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053


PIONEER SAFETY
PREMIUM QUALITY

DUST MASK-FFP1

- Item Code: EP004
- Main body construction:
  - 1st non woven PET
  - 2nd Meltblown filter fabric
  - 3rd Meltblown needle punch
- Aluminium nose clip, with foam nose seal
- Suitable for cutting, sanding and drilling
- NPF: 4
- Standard EN149:2001
- NRCS Approval No: NRCS/8072/0086
- Pack: 20 in a box, 400 in a carton



EP004

DUST MASK-FFP2

- Item Code: EP005
- Main body construction
  - 1st non woven PET
  - 2nd Meltblown filter fabric
  - 3rd Meltblown needle punch
- Aluminium nose clip, with foam nose seal
- Suitable for cutting, sanding and drilling
- NPF: 12
- Standard EN149:2001
- NRCS Approval No: NRCS/8072/0085
- Pack: 20 in a box, 400 in a carton



EP005

DUST MASK-FFP2 VALVE

- Item Code: EP006-1
- Main body construction
  - 1st non woven PET
  - 2nd Meltblown filter fabric
  - 3rd Meltblown needle punch
- Aluminium nose clip, with foam nose seal
- Suitable for cutting,sanding and drilling
- One way plastic valve reduces hot air build up
- NPF: 12
- Standard EN149:2001
- NRCS Approval No: NRCS/8072/0087
- Pack :20 in a box, 400 in a carton



EP006-1

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

DUST MASK-FFP3 VALVE

- Item Code : EP023
- Main body construction
  - 1st non woven PET
  - 2nd Meltblown filter fabric
  - 3rd Meltblown needle punch
- Inner foam seal for comfort
- Adjustable head straps
- Suitable for cutting, sanding and drilling
- One way plastic valve reduces hot air build up
- NPF: 50
- Standard EN149:2001
- NRCS Approval No: NRCS/8072/0179
- Pack:10 in a box, 200 in a carton



EP023

3 PLY FACE MASK

- Item Code: EP026
- Material : Non woven meltblown
- Hidden adjustable nose clip
- Latex free ear loops reduce irritation and pressure on the ears
- Lightweight and comfortable
- 3 Pleat layer makes the mask stronger
- Standard GB/T32610-2016
- Pack: 50 in a box, 2000 in a carton



EP026

FACE MASK-KN95

- Item Code: EP027
- Material: Non woven, Meltblown
- Hidden adjustable nose clip
- Suitable for sensitive skin
- Eco-friendly, biodegradable and waterproof
- Comfortable, high elastic ear hooks
- Lightweight
- Allows for easy breathing
- Standard GB 2626-2006
- Pack: 25 in a box, 600 in a carton



EP027

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za


PIONEER SAFETY
WÜRTH
engineman
PREMIUM QUALITY

GENERAL REQUIREMENTS - EN ISO 21420:2020

This standard replaces EN 420:2003 and covers glove design, construction, harmlessness, comfort, marking and information. It does not establish a protection rating for every hazard. Check the marking and instructions for the exact glove model.

MECHANICAL RISKS - EN 388:2016+A1:2018

Read the test results individually. Abrasion, blade cut, tear and puncture use numeric levels; the TDM cut test uses letters A-F. P denotes a passed optional impact test. X means not tested or not applicable. A higher result in one test does not prove protection against another hazard.

Test / minimum value	1	2	3	4	5
Abrasion (cycles)	100	500	2 000	8 000	-
Coupe blade-cut index	1.2	2.5	5	10	20
Tear force (N)	10	25	50	75	-
Puncture force (N)	20	60	100	150	-

TDM cut level	A	B	C	D	E	F
Minimum cutting force (N)	2	5	10	15	22	30

HEAT / FIRE - EN 407:2020

The six positions report limited flame spread, contact heat, convective heat, radiant heat, small molten-metal splashes and large quantities of molten metal. Select for the specific exposure; heat resistance does not automatically mean flame protection.

Contact heat level	1	2	3	4
Test temperature (degrees Celsius)	100	250	350	500

These are laboratory contact-heat test temperatures, not safe working temperatures or permitted exposure times.

WELDING AND VIBRATION

EN 12477 covers protective gloves for manual welding. Type A prioritises protection; Type B offers greater dexterity. ISO 10819:2013 and its amendments address vibration transmissibility at the palm. Use the certified model instructions for the task.

General guidance only. The specific glove marking, declaration of conformity and instructions determine its protection. Sources: Ansell standards guidance; ISO 10819.

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

CHEMICAL PROTECTION - EN ISO 374

EN ISO 374-1:2016+A1:2018 classifies chemical protection as Type A, B or C. Type A reaches at least 30 minutes against six test chemicals; Type B against three; Type C reaches at least 10 minutes against one. Laboratory breakthrough time is not a safe wear time. Match the exact chemical, concentration and exposure to the manufacturer's data.

Chemical identification letters used with the glove marking:

Code	Test chemical	Code	Test chemical
A	Methanol	J	n-Heptane
B	Acetone	K	Sodium hydroxide 40%
C	Acetonitrile	L	Sulphuric acid 96%
D	Dichloromethane	M	Nitric acid 65%
E	Carbon disulfide	N	Acetic acid 99%
F	Toluene	O	Ammonia 25%
G	Diethylamine	P	Hydrogen peroxide 30%
H	Tetrahydrofuran	S	Hydrofluoric acid 40%
I	Ethyl acetate	T	Formaldehyde 37%

MICRO-ORGANISMS - EN ISO 374-5:2016

This marking covers protection against bacteria and fungi. Protection against viruses requires the additional VIRUS marking. Check penetration, permeation and degradation data for the intended use.

COLD - EN 511:2006

The three results describe convective cold, contact cold and water penetration. The cold tests use levels 0-4; water penetration uses 0 or 1. Wet gloves may lose insulation. Confirm the model's rating and use conditions rather than assuming a temperature limit.

ELECTROSTATIC PROPERTIES

EN 16350:2014 addresses electrostatic properties of protective gloves. EN 1149 concerns protective-clothing electrostatic tests and requirements. Electrostatic dissipation does not provide insulation against mains electricity; the entire working system must be suitable.


Source: Ansell chemical, mechanical and thermal resistance instructions for use. Always check the exact product certification and current instructions.

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

FIND THE RIGHT GLOVE FOR THE JOB

Glove & Hand Size Chart (EN420 Standards):



Hand Size	7	8	9	10	11
Palm Circumference:					
	178mm	203mm	229mm	245mm	279mm
Hand Length:					
	171mm	182mm	192mm	204mm	215mm
Minimal Glove Length:					
	230mm	240mm	250mm	260mm	270mm
Palm Circumference (inches):					
	7”	8”	9”	10”	11”
Hand Length (inches):					
	6½ - 7	7 - 7½	7½	8	8½
Minimal Glove Length (inches):					
Glove Size	9	9½	9½ - 10	10 - 10½	10½ - 11
	S 7	M 8	L 9	XL 10	XXL 11
Pioneer Cuff Colour Code					

Cuff Type

Unsupported	Beaded	Straight	Pinked	Supported	Gauntlet	Knit Wrist	Safety Cuff	Slip On Cuff
								

Pioneer Glove Icons

Flexible	Cut Resistant	Abrasion Resistant	Oil Grip	Wet Grip	Impact	Reflective	High Visibility	Polyurethane	Tough
Dry Grip	Nitrile	Multi-purpose	Latex	Breathable	Anti-slip	Mechanic	Leather	Vibration	Air Cushioned
Washable	Kevlar®	Heat Resistant	Cold	Water Resistant	PVC	Anti Static	Double Nitrile	Water Proof	Chemical

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

PIONEER MAXMAC



RENNOW PROJECTS

A versatile range of stylish gloves constructed for fit, comfort, durability and grip. Whatever the application there is a glove to fit most general industries from lightweight D.I.Y jobs to heavy duty industrial tasks.

INPAX

Part No. G122




FEATURES & BENEFITS

1. Sandy Nitrile coated on palm optimises the grip in light oil environment.
2. Cotton with Aramid composed yarn gives the glove a Level 5 cut resistance.
3. TPR protection covers the back of the hand.
4. Foam padding add-ons on the palm not only enhances the comfort but also relieves fatigue for users.
5. Adjustable Velcro cuff.

IDEAL APPLICATIONS

- Construction work
- Oil & gas industry
- Automotive
- Mining
- Engineering
- Industry maintenance

CE EN388 4543



TECHNICAL DATA

Item code	G122
Construction	Cut & sewn
Liner Material	Cotton & Aramid
Finishing	Sandy Nitrile palm, TPR pad on the back
Cuff Style	Adjustable Velcro Closure
Colour	Black and Orange
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv3
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
En size	7,8,9,10,11 Pack Rate 50 in a carton

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **MAXMAC**

IRON HAND

Part No. G129

Maxmac Iron Hand glove is designed to meet the highest cut resistance Level 5 according to the CE standard. 13G cutting resisting shell, with black non-breathable foam nitrile coated palm. Red TPR design covered on every essential back corner provides high impact protection. Foaming padding add-ons on the palm not only enhances the comfort but also relieves fatigue for users.




CE EN388 4543

TECHNICAL DATA

Item code	G129	
Construction	Cut & sewn	
Liner Material	13g HPPE, Glass Fiber, Cotton, Polyester	
Finishing	Foam nitrile palm, TPR pad on the back	
Cuff Style	Knit wrist	
Colour	Black and red	
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv3	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	8,9,10,11	50 in a carton

IDEAL APPLICATIONS

- Construction work
- Oil & gas industry
- Automotive
- Mining
- Engineering
- Industry maintenance



Multi-purpose


Cut Resistant


Impact


Abrasion Resistant


Dry Grip


Oil Grip


Nitrile

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **MAXMAC**

TOUGH HAND

Part No. G130

Maxmac Tough Hand with nitrile dipping to prevent oil penetration through the glove. TPR design covered on every essential back corner provides high impact protection. Excellent abrasion resistance.



EN388 4232

TECHNICAL DATA

Item code	G130		
Construction	Knitted		
Gauge	15		
Liner Material	Nylon		
Finishing	Sandy nitrile palm, TPR pad on the back		
Cuff Style	Knit wrist		
Colour	Red, black & yellow		
Mechanical	En388 Abrasion Lv4, Cut Lv2, Tear Lv3, Puncture Lv2		
Chemical	Acids, Bases, Solvents not suitable		
Heat and Cold	Not suitable		
Risk Category	II		
En size	8,9,10,11	Pack Rate	50 in a carton

IDEAL APPLICATIONS

- Construction work
- Oil & gas industry
- Automotive
- Mining
- Engineering
- Industry maintenance

Multi-purpose · Impact · Abrasion Resistant · Dry Grip · Oil Grip · Nitrile

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **MAXMAC**

INPAX

Part No. G122

Maxmac INPAX glove is designed to meet the highest cut resistance Level 5 according to ANSI standard. Cotton with Aramid composed yarn in the liner also provides great comfort and softness. Sandy Nitrile coated on palm optimises the grip in light oil environment. TPR design covered on every essential back corner provides high impact protection. Foam padding add-ons on the palm not only enhances the comfort but also relieves fatigue for users.



CE EN388 4543

TECHNICAL DATA

Item code	G122	
Construction	Cut & sewn	
Liner Material	Cotton & Aramid	
Finishing	Sandy Nitrile palm, TPR pad on the back	
Cuff Style	Adjustable Velcro Closure	
Colour	Black and Orange	
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv3	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	7,8,9,10,11	50 in a carton

IDEAL APPLICATIONS

- Construction work
- Oil & gas industry
- Automotive
- Mining
- Engineering
- Industry maintenance



CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

PIONEER **MAXMAC**

MINER

Part No. G103

Maxmac Miner glove is designed to meet the extreme conditions of rig floor, rig services and hydraulic fracing, the toughest condition in the oilfield. This glove will provide protection against oily, dry and wet grip abrasion. TPR finger protection. Latex strap knuckle and back protection. Hi-vis spandex back. Anti-slip material enhances extreme abrasion resistance.



CE EN388 2121

TECHNICAL DATA

Item code	G103
Construction	Cut & sewn
Liner Material	Synthetic Leather, Anti-Slip Material
Finishing	Leather palm, Latex pad on the back
Cuff Style	Adjustable Velcro Closure
Colour	Black and Orange
Mechanical	En388 Abrasion Lv2, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
En size	7,8,9,10,11,12 Pack Rate 50 in a carton

IDEAL APPLICATIONS

- Construction work
- Oil & gas industry
- Automotive
- Mining
- Engineering
- Industry maintenance



RENNOW PROJECTS

PIONEER **MAXMAC**

PION-VERT

Part No. G131

Maxmac Pion-Vert has a synthetic leather palm and an elastic wrist. The spandex fabric provides breathability and comfort.



CE

EN388

2121

TECHNICAL DATA

Item code	G131	
Construction	Cut & sewn	
Liner Material	Synthetic Leather, Spandex Fabric, Polyurethane Leather	
Finishing	Synthetic Leather Palm, Spandex Fabric on the back	
Cuff Style	Elastic Wrist, Polyurethane Branding	
Colour	Black and Orange	
Mechanical	En388 Abrasion Lv2, Cut Lv1, Tear Lv2, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	9,10,11	Pack Rate 50 in a carton

IDEAL APPLICATIONS

- Gardening
- General Handling
- Home Maintenance
- Landscaping
- Hand & Powertool Use



Mechanic



Breathable

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **MAXMAC**

ENGINEMAN

Part No. G132

Maxmac Engineman has a synthetic and anti-slip leather palm. The spandex fabric provides breathability and comfort. Fluorescent colour improves visibility.



CE EN388 2121

TECHNICAL DATA

Item code	G132	
Construction	Cut & sewn	
Liner Material	Synthetic Leather, Anti-Slip Material	
Finishing	Leather Palm, Latex pad on the back	
Cuff Style	Adjustable Velcro closure	
Colour	Black and Orange	
Mechanical	En388 Abrasion Lv2, Cut Lv1, Tear Lv2, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	7,8,9,10,11,12	Pack Rate 50 in a carton

IDEAL APPLICATIONS

- Powertool use
- General Handling
- Maintenance
- Operating Machinery & Equipment
- Fabrication

Mechanic Breathable High Visibility

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **MAXMAC**

TYPHON

Part No. G123

Max Mac Typhon glove provide comfort and flexibility. Easy to wear during long working hours. Cow split hand back and cow grain leather palm gives more cut resistance and longer using life. Silicone pad inside palm could give better vibration resistance Velcro at wrist could be adjustable.



CE EN388 4243

TECHNICAL DATA

Item code	G123
Construction	Sewn
Liner Material	Cow Split hand back and Cow Grain Leather palm, vibration resistant, silicone pad inside palm, adjustable wrist band.
Cuff Style	Velcro at wrist
Colour	Black
Mechanical	En388 Abrasion Lv4, Cut Lv2, Tear Lv4, Puncture Lv3
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
En size	10 Pack Rate 30 in a carton

IDEAL APPLICATIONS

• Working environment where the hand is under high vibrations.

Mechanic | Breathable | Leather | Vibration

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **MAXMAC**

MULTI GLOVE

Part No. G142

Cutmaster Challenger glove provides comfort and breathability. Easy to wear during long working hours. Washable material gives 5 times more life than traditional gloves. Ask us to confirm the cut rating and suitability for handling sharp pieces.



CE

EN388

4542

TECHNICAL DATA

Item code	G142
Construction	Cut and Sewn
Gauge	10
Liner Material	HPPE, Glass Fiber, Nylon, Lycra
Coating Material	A/B Grade Split Cow Leather
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	White and Grey
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv2
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Lvl1 for heat resistance En407
Risk Category	II
En size	8,9,10,11 60 in carton

IDEAL APPLICATIONS

- General work
- Glazing
- Steel Industry
- Sheet metal Fabrication
- Bottling and Canning
- Cutting application
- Waste and Recycling

Heat Resistant

Cut Resistant

Leather

Abrasion Resistant

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

TYPHON

Part No. G123

FEATURES & BENEFITS

1. Cow grain leather palm gives more cut resistance and a longer use life.
2. Silicon pad inside the palm gives better vibration resistance.
3. Cow Split hand back.
4. Adjustable Velcro wrist cuff.



IDEAL APPLICATIONS

• Working environment where the hand is under high vibrations.



CE EN388 4243

TECHNICAL DATA

Item code	G123		
Construction	Sewn		
Liner Material	Cow Split hand back and Cow Grain Leather palm, vibration resistant, silicone pad inside palm, adjustable wrist band.		
Cuff Style	Velcro at wrist		
Colour	Black		
Mechanical	En388 Abrasion Lv4, Cut Lv2, Tear Lv4, Puncture Lv3		
Chemical	Acids, Bases, Solvents not suitable		
Heat and Cold	Not suitable		
Risk Category	II		
En size	10	Pack Rate	30 in carton

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053


PIONEER
CUT MASTER
PIONEER CUT MASTER
VOLCANO
PREMIUM QUALITY

RENNOW PROJECTS

VIKING

Part No. G115




FEATURES & BENEFITS

1. Micro-Foam Nitrile fully coated offers full protection and a longer life span.
2. HPPE, Spandex and Polyester composed yarn gives the glove a Level 3 cut resistance.
3. Adjustable Velcro cuff provides a better fit.

IDEAL APPLICATIONS

- Assembling metal parts & components
- Handling building materials
- Glass Manufacturing
- Steel bar manufacturing & handling
- Sheet metals & metalwork
- Timber works & construction

CE EN388 4343



TECHNICAL DATA

Item code	G115
Construction	Knitted
Gauge	13
Liner Material	HPPE, Polyester, Spandex
Coating Material	Nitrile
Finishing	Fully Coated
Colour	Black
Mechanical	En388 Abrasion Lv4, Cut Lv3, Tear Lv4, Puncture Lv3
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
En size	9,10 Pack Rate 120 in a carton

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

PIONEER **CUTMASTER**

PURALITE

Part No. G062

Cutmaster Puralite glove provides comfort and flexibility. Easy to wear during long work hours, they also offer users a cool feeling. The special formulation of the polyurethane coating gives the gloves flexibility and perfect fit, as well as a secure grip on dry to slightly oily pieces for sure handling in a wide range of environments. Ask us to confirm the cut rating and suitability for handling sharp pieces.



EN388

4543

TECHNICAL DATA

Item code	G062		
Construction	Knitted		
Gauge	13		
Liner Material	HPPE, Glass Fiber, Nylon		
Coating Material	Polyurethane		
Finishing	Palm Coated, Cuff Style - Knit Wrist		
Colour	Grey and White		
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv3		
Chemical	Acids, Bases, Solvents not suitable		
Heat and Cold	Not suitable		
Risk Category	II		
En size	8,9,10,11	Pack Rate	120 in a carton

IDEAL APPLICATIONS

- Assembling metal parts & components
- Automotive
- Glass Manufacturing
- Handling of sharp objects, cutting of small dry or lightly oiled parts & maintenance.
- Plastics injection & moulding

Flexible

Cut Resistant

Abrasion Resistant

Dry Grip

PU

Polyurethane

RENNOW PROJECTS

PIONEER **CUTMASTER**

JUNGLE

Part No. G119

Cutmaster Jungle glove provides comfort and flexibility. Easy to wear during long work hours, they also offer users a cool feeling. The special formulation of the polyurethane coating gives the gloves flexibility and perfect fit, as well as a secure grip on dry to slightly oily pieces for sure handling in a wide range of environments. Ask us to confirm the cut rating and suitability for handling sharp pieces.



EN388
3521

TECHNICAL DATA

Item code	G119	
Construction	Knitted	
Gauge	13	
Liner Material	HPPE, Glass Fiber, Nylon	
Coating Material	Polyurethane	
Finishing	Palm Coated, Cuff Style - Knit Wrist	
Colour	Camo and White	
Mechanical	En388 Abrasion Lv3, Cut Lv5, Tear Lv2, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	8,9,10,11	120 in a carton

IDEAL APPLICATIONS

- Assembling metal parts & components
- Automotive
- Glass Manufacturing
- Handling of sharp objects, cutting of small dry or lightly oiled parts & maintenance.
- Plastics injection & moulding

Flexible

Cut Resistant

Abrasion Resistant

Dry Grip

PU
Polyurethane

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **CUTMASTER**

MAXI-FIT

Part No. G125

Cutmaster Maxi-Fit gloves provide comfort and flexibility. Easy to wear during long working hours, micro-foam Nitrile coating offers excellent breathability. Reinforced between the thumb and forefinger gives more cut resistance and longer lifespan. Twice as thin as standard leather with 6 times the cut protection. Foam Nitrile dipped palm for a grip that withstands wet and dry conditions.




CE EN388 4332

TECHNICAL DATA

Item code	G125	
Construction	Knitted	
Gauge	18	
Liner Material	HPPE, Nylon, Spandex	
Coating Material	Nitrile	
Finishing	Palm Coated, Crotch on Thumb, Cuff Style - Knit Wrist	
Colour	Green and Black	
Mechanical	En388 Abrasion Lv4, Cut Lv3, Tear Lv3, Puncture Lv2	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	7,8,9,10,11	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Assembling metal parts & small components
- Wiring Operations
- Automotive
- Inspection
- Handling of sharp objects, pre-assembling, cutting of small dry or lightly oiled parts & maintenance
- Tools & instruments



CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **CUTMASTER**

MAXI-PLUS

Part No. G127

Cutmaster Maxi-Plus glove provides comfort and flexibility. Easy to wear during long work hours, they also offer users a cool feeling. The special formulation of the polyurethane coating gives the gloves flexibility and perfect fit, as well as a secure grip on dry to slightly oily pieces for sure handling in a wide range of environments. Ask us to confirm the cut rating and suitability for handling sharp pieces.



CE

EN388


4332

TECHNICAL DATA

Item code	G127	
Construction	Knitted	
Gauge	18	
Liner Material	HPPE, Nylon, Glass Fiber	
Coating Material	Foamed Nitrile	
Finishing	Palm Coated with Nitrile dot, Cuff Style - Knit Wrist	
Colour	Green and Black	
Mechanical	En388 Abrasion Lv4, Cut Lv3, Tear Lv3, Puncture Lv2	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	7,8,9,10,11	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Assembling metal parts & components
- Automotive
- Glass Manufacturing
- Handling of sharp objects, cutting of small dry or lightly oiled parts & maintenance.
- Plastics injection & moulding



CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **CUTMASTER**

ALEX

Part No. G117

Cutmaster Alex with lightweight liner construction gives outstanding comfort and durability. Knuckle nitrile coated style provides high abrasion resistance and exceptional dexterity and grip. Ask us to confirm the cut rating and suitability for handling sharp pieces.



CE

EN388

4542

TECHNICAL DATA

Item code	G117	
Construction	Knitted	
Gauge	13	
Liner Material	HPPE, Glass Fiber, Nylon	
Cuff Style	Knuckle Flat Nitrile	
Colour	Black and White	
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv2	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	8,9,10,11	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Assembling metal parts & components
- Handling building materials
- Glass Manufacturing
- Steel bar manufacturing & handling
- Sheet metals & metalwork
- Timber works & construction

Flexible

Cut Resistant

Abrasion Resistant

Dry Grip

PU

Polyurethane

RENNOW PROJECTS

PIONEER **CUTMASTER**

NITROXPRO

Part No. G064

Cutmaster Nitroxpro with lightweight liner construction gives outstanding comfort and durability. Knuckle Nitrile coated style provides high abrasion resistance and exceptional dexterity and grip. Ask us to confirm the cut rating and suitability for handling sharp pieces.



CE

EN388

4542

TECHNICAL DATA

Item code	G064
Construction	Knitted
Gauge	13
Liner Material	HPPE, Glass Fiber, Nylon
Coating Material	Knuckle Flat Nitrile
Finishing	3/4 Dipped, Cuff Style - Knit Wrist
Colour	Black and White
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv2
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
En size	8,9,10,11 Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Assembling metal parts & components
- Handling building materials
- Glass Manufacturing
- Steel bar manufacturing & handling
- Sheet metals & metalwork
- Timber works & construction



Cut Resistant



Abrasion Resistant



Oil Grip



Nitrile

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **CUTMASTER**

PLUS

Part No. G060

Cutmaster Plus glove provides comfort and breathability. Easy to wear during long working hours. Washable material gives 5 times more life than traditional glove. Ask us to confirm the cut rating and suitability for handling sharp pieces.



CE EN388 3544

TECHNICAL DATA

Item code	G060
Construction	Knitted
Gauge	10
Liner Material	Steel, Cotton, Kevlar®
Coating Material	Crinkle Latex
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	Camo
Mechanical	En388 Abrasion Lv3, Cut Lv5, Tear Lv4, Puncture Lv4
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Lvl1 for heat resistance En407
Risk Category	II
En size	8,9,10,11 Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Steel Industry
- Glass Manufacturing
- Sheet metal Fabrication
- Bottling, canning, cutting waste & recycling.


Washable


Cut Resistant


Heat Resistant


Abrasion Resistant


Dry Grip


Wet Grip


Latex

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **CUTMASTER**

VOLCANO

Part No. G118

Cutmaster Volcano with excellent grip properties in both dry and wet environment. Seamless construction eliminates irritation from seams. High flexibility and comfort. Ask us to confirm the cut rating and suitability for handling sharp pieces.



CE

EN388

4542

TECHNICAL DATA

Item code	G118
Construction	Knitted
Gauge	10
Liner Material	Kevlar®
Coating Material	Natural Rubber Latex
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	Yellow and Blue
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv2
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Heat resist up to 250ºC
Risk Category	II
En size	8,9,10,11 Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Construction work
- Oil & gas industry
- Automotive
- Mining
- Engineering
- Industry maintenance

Kevlar® | Cut Resistant | Heat Resistant | Abrasion Resistant

Dry Grip | Wet Grip | Latex

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **CUTMASTER**

GRIPPER

Part No. G065

Cutmaster Gripper with lightweight liner construction gloves offer outstanding comfort and durability. Natural rubber on the palm provides a safe grip while preventing liquid penetration. Ask us to confirm the cut rating and suitability for handling sharp pieces.



CE

EN388
4543

TECHNICAL DATA

Item code	G065
Construction	Knitted
Gauge	10
Liner Material	HPPE, Glass Fiber, Nylon
Coating Material	Crinkle Latex
Finishing	Palm Coated, Cuff Style - Knit wrist
Colour	Black and White
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv3
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
En size	8,9,10,11 Pack Rate 120 in a carton

IDEAL APPLICATIONS

- General work
- Glazing
- Steel Industry
- Sheet metal Fabrication
- Bottling and Canning
- Cutting application
- Waste and Recycling


Cut Resistant


Abrasion Resistant


Dry Grip


Wet Grip


Latex

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **CUTMASTER**

VIKING

Part No. G115

Cutmaster Viking glove with nitrile fully dipped to prevent oil penetration through the glove. TPR design covered on every essential back corner provides high impact protection. Excellent abrasion resistance.



CE

EN388

4343

TECHNICAL DATA

Item code	G115		
Construction	Knitted		
Gauge	13		
Liner Material	HPPE, Polyester, Spandex		
Coating Material	Nitrile		
Finishing	Fully Coated		
Colour	Black		
Mechanical	En388 Abrasion Lv4, Cut Lv3, Tear Lv4, Puncture Lv3		
Chemical	Acids, Bases, Solvents not suitable		
Heat and Cold	Not suitable		
Risk Category	II		
En size	9,10	Pack Rate	120 in a carton

IDEAL APPLICATIONS

- Assembling metal parts & components
- Wiring opertions
- Inspection
- Handling of sharp edged objects.
- Pre-assembly and cutting of small dry or lighty oiled parts

Tools and instruments



Flexible



Cut Resistant



Abrasion Resistant



Oil Grip



Dry Grip



Nitrile

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **CUTMASTER**

CHALLENGER

Part No. G061

Cutmaster Challenger glove provides comfort and breathability. Easy to wear during long working hours. Washable material gives 5 times more life than traditional gloves. Ask us to confirm the cut rating and suitability for handling sharp pieces.



CE

EN388

4542

TECHNICAL DATA

Item code	G061	
Construction	Cut and Sewn	
Gauge	10	
Liner Material	HPPE, Glass Fiber, Nylon, Lycra	
Coating Material	A/B Grade Split Cow Leather	
Finishing	Palm Coated, Cuff Style - Knit Wrist	
Colour	White and Grey	
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv2	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Lvl1 for heat resistance En407	
Risk Category	II	
En size	8,9,10,11	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- General work
- Glazing
- Steel Industry
- Sheet metal Fabrication
- Bottling and Canning
- Cutting application
- Waste and Recycling

Heat Resistant

Cut Resistant

Leather

Abrasion Resistant

RENNOW PROJECTS

PIONEER **CUTMASTER**

SCABBARD PRO

Part No. G063

Cutmaster Scabbard Pro Cow split leather sewn on sleeves, fully Kevlar® sewn. Launderable. Ask us to confirm the cut rating and suitability for handling sharp pieces.



CE EN388 4542

TECHNICAL DATA

Item code	G063
Construction	Knitted
Gauge	13
Liner Material	HPPE, Glass Fiber, Nylon
Cuff Style	Sleeve
Colour	Grey and White
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv2
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
En size	35cm Pack Rate 60 in a carton

IDEAL APPLICATIONS

- Construction work
- Oil & gas industry
- Automotive
- Mining
- Engineering
- Industry maintenance

Washable | Cut Resistant | Leather | Abrasion Resistant

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **CUTMASTER**

NITRI-GRIPA PALM DIPPED

Part No. G137

Cutmaster Nitri-Gripa cut resistant lv 5 glove. Designed for precision tasks where mechanical hazards are present. Cutmaster shell with durable sandy Nitrile coating ensures protection against abrasion,and tearing and top level 5 cut resistance and heat resistance. The gloves liner is coated with high grip but supple nitrile that increases its oil and chemical resistance. The back of the hand is ventilated,making it comfortable to wear.



CE

EN388

4544

TECHNICAL DATA

Item code	G137	
Construction	Knitted	
Gauge	13	
Liner Material	HPPE, Polyester, Spandex	
Coating Material	Nitrile	
Finishing	Palm Coated	
Colour	Black and Grey	
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv4	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	8, 9,10	Pack Rate 120 in a carton

IDEAL APPLICATIONS


- Assembling metal parts & components
- Handling building materials
- Glass Manufacturing
- Steel bar manufacturing & handling
- Sheet metals & metalwork
- Timber works & construction



Flexible



Cut Resistant



Abrasion Resistant



Oil Grip



Dry Grip



Nitrile

RENNOW PROJECTS

PIONEER **CUTMASTER**

NITRI-GRIPPA 3/4 DIPPED

Part No. G138

Cutmaster Nitri-Gripa cut resistant lv 5 glove. Designed for precision tasks where mechanical hazards are present. Cutmaster shell with durable sandy Nitrile coating ensures protection against abrasion,and tearing and top level 5 cut resistance and heat resistance. The gloves liner is coated with high grip but supple nitrile that increases its oil and chemical resistance. The back of the hand is 3/4 dipped.



CE EN388 4544

TECHNICAL DATA

Item code	G138	
Construction	Knitted	
Gauge	13	
Liner Material	HPPE, Polyester, Spandex	
Coating Material	Nitrile	
Finishing	3/4 Coated	
Colour	Black,Grey and Orange	
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv4	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	8, 9,10	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Assembling metal parts & components
- Handling building materials
- Glass Manufacturing
- Steel bar manufacturing & handling
- Sheet metals & metalwork
- Timber works & construction


Flexible


Cut Resistant


Abrasion Resistant


Oil Grip


Dry Grip


Nitrile

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **CUTMASTER**

NITRI-GRIPPA FULLY DIPPED

Part No. G139

Cutmaster Nitri-Gripa cut resistant lv 5 glove. Designed for precision tasks where mechanical hazards are present. Cutmaster shell with durable sandy Nitrile coating ensures protection against abrasion,and tearing and top level 5 cut resistance and heat resistance. The gloves liner is coated with high grip but supple nitrile that increases its oil and chemical resistance. The back of the hand is fully dipped,making it 100% water proof



CE

EN388

4544

TECHNICAL DATA

Item code	G139	
Construction	Knitted	
Gauge	13	
Liner Material	HPPE, Polyester, Spandex	
Coating Material	Nitrile	
Finishing	Fully Coated	
Colour	Black,Grey and Orange	
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv4	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	8, 9,10	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Assembling metal parts & components
- Handling building materials
- Glass Manufacturing
- Steel bar manufacturing & handling
- Sheet metals & metalwork
- Timber works & construction



Water Proof



Cut Resistant



Abrasion Resistant



Oil Grip



Dry Grip



Nitrile

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **CUTMASTER**

SATHO GLOVE

Part No. G140

13 Gauge pepper HPPE cut Lv 5,fully coated Nitrile smooth,black nitrile. Compound safety cuff.



CE EN388 4543

TECHNICAL DATA

Item code	G140
Construction	Knitted
Gauge	13
Liner Material	HPPE
Coating Material	Nitrile
Finishing	Fully Coated, Cuff Style
Colour	Greenish Black
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv3
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
	10 Pack Rate 60 in a carton

IDEAL APPLICATIONS


- Petroleum Industry
- Glazing
- Steel Industry
- Sheet metal Fabrication
- Bottling and Canning
- Cutting application
- Waste and Recycling


Cut Resistant


Abrasion Resistant


Dry Grip


Wet Grip


Nitrile


Oil Grip

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **CUTMASTER**

SATHO-INPAX

Part No. G141

13 Gauge pepper HPPE cut Lv 5,fully coated blue Nitrile smooth,black Nitrile. Compound safety cuff,back and 5 fingers compacted TPR.



CE EN388 4543

TECHNICAL DATA

Item code	G141
Construction	Knitted
Gauge	13
Liner Material	HPPE
Coating Material	Nitrile
Finishing	Fully Coated
Colour	Greenish Black
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture Lv3
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
	10 Pack Rate 60 in a carton

IDEAL APPLICATIONS

- Petroleum Industry
- Glazing
- Steel Industry
- Sheet metal Fabrication
- Bottling and Canning
- Cutting application
- Waste and Recycling


Cut Resistant


Abrasion Resistant


Dry Grip


Wet Grip


Nitrile


Oil Grip

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **CUTMASTER**

CUT RESIST LV 3 PU COATED

Part No. G136

Entry level cut resistant glove with Grey PU palm coated. Ask us to confirm the cut rating and suitability for handling sharp pieces.



EN388

4343

TECHNICAL DATA

Item code	G136
Construction	Knitted
Gauge	13
Liner Material	HPPE, Glass Fiber, Nylon
Coating Material	Polyurethane
Finishing	Palm Coated, Cuff Style - Knit wrist
Colour	Grey and White
Mechanical	En388 Abrasion Lv4, Cut Lv3, Tear Lv4, Puncture Lv3
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
En size	10 Pack Rate 120 in a carton

IDEAL APPLICATIONS

- General work
- Glazing
- Steel Industry
- Sheet metal Fabrication
- Bottling and Canning
- Cutting application
- Waste and Recycling

Cut Resistant

Abrasion Resistant

Dry Grip

Flexible

PU

Polyurethane

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053


PIONEER FLEX
PIONEER FLEX
HANDYMAN
G057
PREMIUM QUALITY

RENNOW PROJECTS

High flexibility and comfortable gloves with different coatings for general purpose applications.

HANDYMAN

Part No. G057



FEATURES & BENEFITS

1. Foamed Rubber Latex palm gives the glove extra grip in both wet and dry conditions.
2. Polyester liner offers high flexibility and comfort.

IDEAL APPLICATIONS

- General purpose
- Light Fabrication
- Light material handling
- Light vehicle maintenance
- Shipping and receiving
- Project completion



CE EN388 3111

TECHNICAL DATA

Item code	G057
Construction	Knitted
Gauge	13
Liner Material	Poly Cotton
Coating Material	Foamed Rubber Latex
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	Black
Mechanical	En388 Abrasion Lv3, Cut Lv1, Tear Lv1, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
En size	8,9,10,11 Pack Rate 120 in a carton

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **FLEX**

HANDYMAN

Part No. G057

The Flex Handyman with high flexibility and comfort. The glove has very good resistance to puncture. Excellent wet and dry grip. Open back reduces perspiration build up.



CE

EN388

3111

TECHNICAL DATA

Item code	G057
Construction	Knitted
Gauge	13
Liner Material	Poly Cotton
Coating Material	Foamed Rubber Latex
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	Black
Mechanical	En388 Abrasion Lv3, Cut Lv1, Tear Lv1, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
En size	8,9,10,11 Pack Rate 120 in a carton

IDEAL APPLICATIONS

- General Purpose
- Light Fabrication
- Light material handling
- Light vehicle maintenance
- Shipping and receiving
- Project completion

Multi-purpose

Flexible

Abrasion Resistant

Latex

Wet Grip

Dry Grip

Breathable

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **FLEX**

DURA-WAK

Part No. G111

The Flex Dura-Wak glove is designed for use in a wide range of handling and carrying applications. The natural rubber coating delivers excellent overall mechanical performance for maximal protection and durability. The Latex crinkle finish gives the glove excellent grip in both dry and wet conditions. High flexibility and comfort.



CE

EN388

2131

TECHNICAL DATA

Item code	G111
Construction	Knitted
Gauge	15
Liner Material	Polyester
Coating Material	Latex
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	Blue and Black
Mechanical	En388 Abrasion Lv2, Cut Lv1, Tear Lv3, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
En size	7,8,9,10,11 Pack Rate 120 in a carton

IDEAL APPLICATIONS

- General Purpose

Multi-purpose

Flexible

Abrasion Resistant

Latex

Wet Grip

Dry Grip

Breathable

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

PIONEER **FLEX**

SNUG-PLUZ

Part No. G113

The Flex Snug-Pluz glove is designed for use in a wide range of handling and carrying applications. The natural rubber coating delivers excellent overall mechanical performance for maximal protection and durability. The Latex crinkle finish gives the glove excellent grip in both dry and wet conditions. High flexibility and comfort, longer cuff gives more protection for workers.



EN388

2132

TECHNICAL DATA

Item code	G113
Construction	Knitted
Gauge	15
Liner Material	Polyester
Coating Material	Latex
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	Red and Grey
Mechanical	En388 Abrasion Lv2, Cut Lv1, Tear Lv3, Puncture Lv2
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
En size	7,8,9,10,11 Pack Rate 120 in a carton

IDEAL APPLICATIONS

- General Purpose

Multi-purpose

Flexible

Abrasion Resistant

Latex

Wet Grip

Dry Grip

Breathable

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **FLEX**

LIME

Part No. G048

The Flex Lime glove with its latex dipping offers wet and dry gripping. The glove is designed to have good abrasion resistance. Bright fluorescent colour attracts attention to reduce the risk during work.



CE EN388 4121

TECHNICAL DATA

Item code	G048
Construction	Knitted
Gauge	13
Liner Material	Polyester
Coating Material	Micro Foam Latex
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	Flourscent Lime and Black
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
En size	8,9,10,11 120 in a carton

IDEAL APPLICATIONS

- Inspection
- Light Fabrication
- Small part assembly & handling
- Automotive
- Shipping & receiving
- Packaging

Multi-purpose | Flexible | Abrasion Resistant | Latex

Wet Grip | Dry Grip | Breathable

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **FLEX**

THERMO-GRIP

Part No. G074

The Flex Thermo-Grip gloves are designed to provide outstanding insulation from cold conditions, as well as high comfort and grip. Retains flexibility in temperatures down to -20°C. Excellent comfort and lasting warmth. Breathable, ventilated back.



EN388
4231

TECHNICAL DATA

Item code	G074
Construction	Knitted
Gauge	13
Liner Material	Terry Loop Cloth
Coating Material	Latex
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	Orange and Blue
Mechanical	En388 Abrasion Lv4, Cut Lv2, Tear Lv3, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
En size	10 Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Outdoor construction work
- Public maintenance
- Refuse collection
- Shipping & receiving
- Refrigeration & cooling plants

Wet Grip

Dry Grip

Abrasion Resistant

Cold

Latex

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **FLEX**

LOTUS-172

Part No. G109

The Flex Lotus glove with nitrile dipping prevents oil penetration through the glove. Good abrasion resistance. Fluorescent colour attracts attention in order to reduce the risk during work.



EN388
4121

TECHNICAL DATA

Item code	G109	
Construction	Knitted	
Gauge	13	
Liner Material	Polyester	
Coating Material	Sandy Nitrile	
Finishing	Palm Coated, Cuff Style - Knit Wrist	
Colour	Fluorescent Lime and Black	
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	8,9,10,11	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Inspection
- Light fabrication
- Small part assembly & handling
- Oil and Gas industry
- Shipping and receiving
- Packing
- Tools handling

Oil Grip

Abrasion Resistant

Multi-purpose

Breathable

Nitrile

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **FLEX**

HYTOUCH

Part No. G112

Flex Hytouch gloves provide just the right level of protection, while providing the ultimate “second skin” feel. The special formulation of the super micro foamed Nitrile coating gives the gloves dexterity and enhanced wet or dry grip. Advanced knitting technology allows increased stretch and flexibility in high stress areas. The hand operates more freely, improving comfort and reducing hand fatigue.



EN388
4121

TECHNICAL DATA

Item code	G112	
Construction	Knitted	
Gauge	15	
Liner Material	Nylon, Lycra	
Coating Material	Super Micro Foamed Nitrile	
Finishing	Palm Coated, Cuff Style - Knit Wrist	
Colour	Dark Blue and Black	
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	7,8,9,10,11	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Assembling small & medium parts
- General handling
- Screwing & unscrewing
- Warehouse work
- Irrigation work

Oil Grip

Abrasion Resistant

Multi-purpose

Breathable

Nitrile

Flexible

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **FLEX**

TANK

Part No. G128

Flex Tank with nitrile dipping prevents oil penetration through the glove. Excellent abrasion resistance. Covered in a layer, resistant to polluted pieces being handled. High flexibility and dexterity for an optimum comfort in use. Rough Nitrile coating.



CE EN388 4131

TECHNICAL DATA

Item code	G128
Construction	Knitted
Gauge	13
Liner Material	Poly Cotton
Coating Material	Sandy Nitrile
Finishing	Fully Coated, Cuff Style - Knit Wrist
Colour	Black
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv3, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
En size	8,9,10,11 Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Assembling
- General site & factory maintenance
- Metal fabrication
- Quality control
- Light metal fabrication & handling


Flexible


Water Resistant


Nitrile

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **FLEX**

OPTIMA

Part No. G106

Flex Optima with a nylon and lycra liner provides flexibility and super breathability.



CE EN388 3131

TECHNICAL DATA

Item code	G106	
Construction	Knitted	
Gauge	15	
Liner Material	Nylon, Lycra	
Coating Material	Nitrile	
Finishing	Palm Coated, Cuff Style - Knit Wrist	
Colour	Black and Grey	
Mechanical	En388 Abrasion Lv3, Cut Lv1, Tear Lv3, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	8,9,10,11	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Electronics
- Small part assembly & handling
- Chips & circuit board manufacturing
- Automotive assembly

Oil Grip

Wet Grip

Flexible

Breathable

Nitrile

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **FLEX**

OPTIMA+

Part No. G107

Optima+ with a nylon and lycra liner provides flexibility and super breathability.
Extra Nitrile dot coating provides super grip and abrasion.



CE

EN388

3131

TECHNICAL DATA

Item code	G107	
Construction	Knitted	
Gauge	15	
Liner Material	Nylon, Lycra	
Coating Material	Nitrile with Nitrile dot	
Finishing	Palm Coated, Cuff Style - Knit Wrist	
Colour	Black and Grey	
Mechanical	En388 Abrasion Lv3, Cut Lv1, Tear Lv3, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	8,9,10,11	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Electronics
- Small part assembly & handling
- Chips & circuit board manufacturing
- Automotive assembly



Oil Grip



Wet Grip



Flexible



Breathable

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **FLEX**

LITE-PRO

Part No. G110

Flex Lite-Pro with an ultra thin stretched nylon liner dipped in Polyurethane offers maximum tactile sensitivity. The special formulation of the Polyurethane coating gives flexibility and fit, as well as secure grip on dry to slightly oily pieces for sure handling in a wide range of environments. Fluorescent colour attracts attention to reduce the risk during work.



CE EN388 3131

TECHNICAL DATA

Item code	G110	
Construction	Knitted	
Gauge	18	
Liner Material	Nylon	
Coating Material	Polyurethane	
Finishing	Palm Coated, Cuff Style - Knit Wrist	
Colour	Fluorescent Lime and Black	
Mechanical	En388 Abrasion Lv3, Cut Lv1, Tear Lv3, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	8,9,10,11	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Inspection
- Automotive
- Small part assembly & handling
- Garden use

Dry Grip

Flexible

Anti Static

Abrasion Resistant

PU
Polyurethane

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **FLEX**

BLACK MAX

Part No. G133

Flex Black Max with a PVC foam coating with a rough surface that provides great grip. Uncoated back of hand makes the gloves breathable and reduces perspiration. Stay soft and flexible in cold condition. 15 Gauge seamless elastic cotton and nylon liner provides excellent dexterity and flexibility.



EN388

2231

TECHNICAL DATA

Item code	G133	
Construction	Knitted	
Gauge	15	
Liner Material	Nylon	
Coating Material	PVC	
Finishing	Palm Coated, Cuff Style - Knit Wrist	
Colour	Black	
Mechanical	En388 Abrasion Lv2, Cut Lv2, Tear Lv3, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	8,9,10,11	120 in a carton

IDEAL APPLICATIONS

- Agriculture
- Machinery & equipment
- Electronics
- Logistics & warehouse
- Public Maintenance
- Outdoor operation

Wet Grip

Dry Grip

Multi-purpose

Breathable

PVC

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **FLEX**

OIL GRIPA

Part No. G114

Flex Oil Gripa with a seamless nylon liner, blue smooth Nitrile fully coated, knuckle coated first layer and black sandy Nitrile coated on palm. Double Nitrile dipping provides high protection for worker in oil environment. Blue nitrile coated area on back of gloves provide waterproof protection. Sandy Nitrile coating offers good abrasion resistance and excellent grip in light oil condition. Ergonomic design to provide high comfort, dexterity and fatigue relief.



EN388

4121

TECHNICAL DATA

Item code	G114	
Construction	Knitted	
Gauge	15	
Liner Material	Nylon	
Coating Material	Double Nitrile	
Finishing	Fully Coated, Cuff Style - Knit Wrist	
Colour	Blue, Black and White	
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	8,9,10,11	120 in a carton

IDEAL APPLICATIONS

- Electronics
- Small part assembly
- Chips and circuit board manufacturing
- Automotive assembly

Oil Grip

Abrasion Resistant

Multi-purpose

Water Proof

x2

Double Nitrile

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **FLEX**

GREY NYLON

Part No. G108

13 Gauge grey Polyester lining according to EN388 standards,is extremely lightweight and offers outstanding comfort and durability. The black Nitrile offers superior dexterity and sensitivity and has excellent grip for both dry and greasy parts. The glove is lightweight and has a breathable back.



CE

EN388

4131

TECHNICAL DATA

Item code	G108
Construction	Knitted
Gauge	15
Liner Material	Polyester
Coating Material	Nitrile
Finishing	Palm Coated, Cuff Style - Knit Wrist
Colour	Black and Grey
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv3, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Heat and Cold	Not suitable
Risk Category	II
	7, 8 ,9,10, 11 Pack Rate 120 in a carton

IDEAL APPLICATIONS

General work
Glazing
Steel Fabrication
Bottling and Canning
Cutting
Waste and Recycling

Wet Grip

Dry Grip

Multi-purpose

Breathable

Nitrile

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

PIONEER TOUGH



GENERAL CRITERIA FOR LEATHER GLOVES


Choosing the right products is always important to make the workplace productive but also safe. The factors to consider include one or more of the following arguments:
- Protection: resistant to heat, flame, molten splashes, UV, electric and punctures.
- Health: value of pH, chromium, PCP or other substances that need to be within limits.
- Durability: value of abrasion resistance, tensile strength, tear resistance, heat related, dimensional change resistance, reinforced seam and stress point as well as thread strength and flame resistance.
- Comfort: the right size, sizing and fit, dexterity, fingertip sensitivity, weight, sweat vapour transmission and absorption and climate and oil resistant.

TYPE OF LEATHER FOR WELDING GLOVES

TYPE	FEATURES
Split cow leather	Heat and flame resistant, material breathes because of open structure, low priced.
Grain cow leather	Pliable and strong, water and oil resistant.
Suede pig leather	Soft and comfortable, lower priced than other leathers.
Grain deer leather	Fit and dexterity, very good comfort as well as water and oil resistant.
Grain goat leather	Fit and dexterity, light weight, very good comfort as well as water and oil resistant.
Grain bison leather	Fit and dexterity, very good comfort, high mechanical value as well as water and oil resistant.

LEATHER GRADES

Different portions of the hide of the animal have different characteristics:
- The side offers the best strength and most constant quality.
- The shoulders are for good strength and pliability.
- The belly is the lowest in quality but also the most economical.



DIFFERENT SEWING OF THUMB

STRAIGHT THUMB	WING THUMB	KEYSTONE THUMB
		
For extra sensitivity and/or extra welding gun grip.	For seamless palm durability.	For a comfortable fit.

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

AIR CUSHION G98

Part No. G098

FEATURES & BENEFITS

1. Heavy weight split cowhide leather stitched with Kevlar® thread provides strength and durability.
2. Air cushioned lining that is flame retardant and sweat-absorbent, providing extra insulation for incomparable comfort
3. Reinforced wing thumb and palm.
4. Padded wrist protection.
5. Fully welted seams



IDEAL APPLICATIONS

- Welding & heat application
- General purpose application requiring heat

Kevlar® Tough Heat Resistant Air Cushioned

CE EN388 4244

TECHNICAL DATA

Item code	G098
Construction	Cut and Sewn
Liner Material	Denim, Cotton, A/B Grade cowhide split leather, Kevlar® stitch
Cuff Style	Turned Leather hems
Colour	Red and Black
Mechanical	En388 Abrasion Lv4, Cut Lv2, Tear Lv4, Puncture Lv4
Chemical	Acids, Bases, Solvents not suitable
Heat	En407 Burning behaviour Lv4, Contact Lv3, Convective Lv3, Radiant Lv1, Small drops molten metal Lv4
Cold	Suitable for general application
Risk Category	II
En size	10, 35cm Pack Rate 60 in a carton

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **TOUGH**

8” SUPA RED HEAT RESIST

Part No. G2028

With a soft foam palm and a cotton denim cuff, the glove is comfortable to wear. The glove is suitable for a large number of applications which require operating machinery and working in environments with a risk of heat or molten splash. Seams are made in Kevlar®, apron palm is sewn for more protection on fingers, velcro attachment closes the cuff off from heat.



EN407

41314

EN388

4244

TECHNICAL DATA

Item code	G2028
Construction	Cut and Sewn
Liner Material	Denim, Cotton, A/B Grade cowhide split leather, Kevlar® stitch
Cuff Style	Turned Leather hems with Velcro close
Colour	Red
Mechanical	En388 Abrasion Lv4, Cut Lv2, Tear Lv4, Puncture Lv4
Chemical	Acids, Bases, Solvents not suitable
Heat	En12477 Burning behaviour Lv4, Contact Lv3, Convective Lv3, Radiant Lv1, Molten metal Lv4
Cold	Suitable for general application
Risk Category	II
En size	10, 40cm Pack Rate 60 in a carton

IDEAL APPLICATIONS

- Welding & heat application
- General purpose application requiring heat
- Flame & spark protection

Kevlar®

Tough

Heat Resistant

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **TOUGH**

AIR CUSHIONED G100

Part No. G100

Air cushioned lining that is flame retardant and sweat absorbent, providing extra insulation for incomparable comfort. The Kevlar® thread assembly ensures sturdy seams with respect to the heat and wear as well as better thermal insulation. The reinforced palm in split leather increases the glove's durability.



EN407

413X3X

EN388

4144

TECHNICAL DATA

Item code	G100	
Construction	Cut and Sewn	
Liner Material	Fleecy Cotton, A Grade cowhide split leather, Kevlar®	
Cuff Style	Gauntlet	
Colour	Blue and Grey	
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv4, Puncture Lv4	
Chemical	Acids, Bases, Solvents not suitable	
Heat	En12477 Burning behaviour Lv4, Contact Lv1,	
	Convective Lv3, Radiant X, Small drops molten metal	
	Lv3, Large quantity of molten metal X	
Cold	Suitable for general application	
Risk Category	II	
En size	10, 35cm	Pack Rate 60 in a carton

IDEAL APPLICATIONS

- Welding & heat application
- General purpose application requiring heat

Kevlar® Tough Heat Resistant Air Cushioned

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **TOUGH**

AIR CUSHIONED G98

Part No. G098

Premium welders glove provides maximum protection in conditions when exposed to heat, flame or spark. Air cushioned lining that is flame retardant and sweat absorbent, providing extra insulation for incomparable comfort. The Kevlar® thread assembly ensures sturdy seams with respect to the heat and wear as well as better thermal insulation. The reinforced palm in split leather increases the glove's durability.



CE EN388 4244

TECHNICAL DATA

Item code	G098
Construction	Cut and Sewn
Liner Material	Denim, Cotton, A/B Grade cowhide split leather, Kevlar® stitch
Cuff Style	Turned Leather hems
Colour	Red and Black
Mechanical	En388 Abrasion Lv4, Cut Lv2, Tear Lv4, Puncture Lv4
Chemical	Acids, Bases, Solvents not suitable
Heat	En407 Burning behaviour Lv4, Contact Lv3, Convective Lv3, Radiant Lv1, Small drops molten metal Lv4
Cold	Suitable for general application
Risk Category	II
En size	10, 35cm Pack Rate 60 in a carton

IDEAL APPLICATIONS

- Welding & heat application
- General purpose application requiring heat

KEVLAR® Kevlar® | Tough | Heat Resistant | Air Cushioned

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **TOUGH**

AIR CUSHIONED G99

Part No. G099

Air cushioned lining that is flame retardant and sweat absorbent, providing extra insulation for incomparable comfort. The Kevlar® thread assembly ensures sturdy seams with respect to heat and wear as well as better thermal insulation. The reinforced straight thumb in split leather increases the glove's durability.



CE EN388 4244

TECHNICAL DATA

Item code	G099
Construction	Cut and Sewn
Liner Material	Denim, Cotton, A/B Grade cowhide split leather,
	Kevlar® stitch
Cuff Style	Turned Leather hems
Colour	Brown and Grey
Mechanical	En388 Abrasion Lv4, Cut Lv2, Tear Lv4, Puncture Lv4
Chemical	Acids, Bases, Solvents not suitable
Heat	En407 Burning behaviour Lv4, Contact Lv3, Convective
	Lv3, Radiant Lv1, Small drops molten metal Lv4
Cold	Suitable for general application
Risk Category	II
En size	10, 35cm Pack Rate 60 in a carton

IDEAL APPLICATIONS

- Welding & heat application
- General purpose application requiring heat
- Flame & spark protection

Kevlar® Tough Heat Resistant Air Cushioned

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **TOUGH**

BLUE LINED WELDING

Part No. G200

General purpose welding glove made of heat and flame resistant shoulder split cow hide. Glove includes a full sock lining for added comfort and Kevlar® stitching with welted seams for added durability.



EN407

41314

EN388

4244

TECHNICAL DATA

Item code	G200
Construction	Cut and Sewn
Liner Material	Denim, A/B Grade cowhide split leather
Cuff Style	Turned Leather hems
Colour	Blue and Grey
Mechanical	En388 Abrasion Lv4, Cut Lv2, Tear Lv4, Puncture Lv4
Chemical	Acids, Bases, Solvents not suitable
Heat	En12477 Burning behaviour Lv4, Contact Lv3,
	Convective Lv3, Radiant Lv1, Molten metal Lv4
Cold	Suitable for general application
Risk Category	II
En size	10, 45cm Pack Rate 60 in a carton

IDEAL APPLICATIONS

- Welding & heat application
- General purpose application requiring heat

Tough

Heat Resistant

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **TOUGH**

SPARK WELDING

Part No. G097

Premium welders glove that provide maximum protection in conditions when exposed to heat, flame or spark. The Kevlar® stitching ensures sturdy seams with respect to the heat and wear as well as better thermal insulation. The reinforced palm and thumb in split leather increases the glove's durability.



EN407



431X4

CE

EN388



4144

TECHNICAL DATA

Item code	G097
Construction	Cut and Sewn
Liner Material	Cotton, A/B Grade cowhide split leather, Kevlar®
Cuff Style	Gauntlet
Colour	Green and Yellow
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv4, Puncture Lv4
Chemical	Acids, Bases, Solvents not suitable
Heat	En12477 Burning behaviour Lv4, Contact Lv3,
	Convective Lv1, Radiant X, Molten metal Lv4
Cold	Suitable for general application
Risk Category	II
En size	10, 40cm Pack Rate 60 in a carton

IDEAL APPLICATIONS

- Welding & heat application
- General purpose application requiring heat
- Flame & spark protection



Kevlar®



Tough



Heat Resistant

RENNOW PROJECTS

PIONEER **TOUGH**

ORANGE LINED WELDING

Part No. G400

General purpose welding glove made of heat and flame resistant shoulder split cow hide. Glove includes a full sock lining for added comfort and Kevlar® stitching with welted seams for added durability.



EN407
41314

EN388
4244

CE

TECHNICAL DATA

Item code	G400	
Construction	Cut and Sewn	
Liner Material	Denim, Cotton, A/B Grade cowhide split leather	
Cuff Style	Turned Leather hems	
Colour	Orange	
Mechanical	En388 Abrasion Lv4, Cut Lv2, Tear Lv4, Puncture Lv4	
Chemical	Acids, Bases, Solvents not suitable	
Heat	En12477 Burning behaviour Lv4, Contact Lv3,	
	Convective Lv3, Radiant Lv1, Molten metal Lv4	
Cold	Suitable for general application	
Risk Category	II	
En size	10, 35cm	Pack Rate 60 in a carton

IDEAL APPLICATIONS

- Welding & heat application
- General purpose application which requires heat

KEVLAR®
Kevlar®

Tough

Heat Resistant

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **TOUGH**

VIP GOLD GRAIN LEATHER

Part No. G071

Ideal for applications involving material handling, fitting and light duty welding. The gloves are rugged and highly durable. Made from thick, pliable top grain cowhide. The gloves are made from naturally oil and weather resistant cowhide, which has the grain reversed to make them more comfortable. The gloves are very pliable with a soft top grain and a reinforced palm.



CE EN388 2122

TECHNICAL DATA

Item code	G071	
Construction	Cut and Sewn	
Liner Material	Top Grain cowhide	
Cuff Style	Slip On	
Colour	Yellow	
Mechanical	En388 Abrasion Lv2, Cut Lv1, Tear Lv2, Puncture Lv2	
Chemical	Acids, Bases, Solvents not suitable	
Cold	Not suitable	
Risk Category	II	
En size	10	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Material handling
- Light duty welding

Tough

Heat Resistant

RENNOW PROJECTS

PIONEER **TOUGH**

PREMIUM TIG WELDING

Part No. G300

The TIG glove construction pattern offers an excellent fit and the materials used are specially processed for excellent pliability. The gloves are sewn Dupont Kevlar® threads for better protection against flame and spatter burnout. The glove is sewn with a reinforced thumb strap for added durability. An extra long cuff length offers wrist and forearm protection against contact heat.



CE EN388 3121

TECHNICAL DATA

Item code	G300	
Construction	Cut and Sewn	
Liner Material	Denim, Cotton, A/B Grade cowhide split leather, Kevlar® stitch	
Cuff Style	Turned Leather hems	
Colour	Yellow	
Mechanical	En388 Abrasion Lv3, Cut Lv1, Tear Lv2, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
Heat	En12477 Burning behaviour Lv4, Contact Lv1, Convective Lv3, Radiant Lv4, Molten metal Lv4	
Cold	Suitable for general application	
Risk Category	II	
En size	10	Pack Rate 60 in a carton

IDEAL APPLICATIONS

- MIG/TIG Welding & heat application
- General purpose application requiring heat
- Flame & spark protection



Tough



Heat Resistant

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **TOUGH**

RIGGER 143

Part No. G143

Pioneer Rigger glove offers comfort and flexibility. It features light yellow cow grain leather, one piece palm, natural drill cotton fabric back and rubberized cuff, palm lined.



CE EN388 3123

TECHNICAL DATA

Item code	G143	
Construction	Cut and Sewn	
Liner Material	Top Grain cowhide	
Cuff Style	Slip On	
Colour	Yellow	
Mechanical	En388 Abrasion Lv3, Cut Lv1, Tear Lv2, Puncture Lv3	
Chemical	Acids, Bases, Solvents not suitable	
Cold	Not suitable	
Risk Category	II	
En size	10	72 in a carton

IDEAL APPLICATIONS

- Assembly
- Wiring operations
- Inspection
- Handling of sharp edged objects
- Tools and instruments



Tough

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **TOUGH**

RIGGER 147

Part No. G147

Pioneer Rigger provides comfort and flexibility. It is easy to wear during long working hours. The white cowhide leather is soft and comfortable and the black mesh on the back of the glove offers good ventilation.



EN388

3123

TECHNICAL DATA

Item code	G147	
Construction	Cut and Sewn	
Liner Material	Cowhide Leather	
Cuff Style	Elastic cuff	
Colour	White and Black	
Mechanical	En388 Abrasion Lv3, Cut Lv1, Tear Lv2, Puncture Lv3	
Chemical	Acids, Bases, Solvents not suitable	
Heat	Not suitable	
Cold	Not suitable	
Risk Category	II	
En size	10	72 in a carton

IDEAL APPLICATIONS

- Assembly
- Wiring operations
- Inspection
- Handling of sharp edged objects
- Tools and instruments



Tough

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **TOUGH**

PREMIUM WELDER 144

Part No. G144

The Premium Welder 144 glove provides comfort and flexibility. Easy to wear during long working hours. Cow split leather is soft and comfortable. The long cuff provides extra protection. The glove offers excellent abrasion, tearing and puncture resistance, as well as temperature resistance.



CE

EN388

3243

TECHNICAL DATA

Item code	G144
Construction	Cut and Sewn
Liner Material	Palm jersey,cuff jean
Cuff Style	Long cuff
Colour	Yellow
Mechanical	En388 Abrasion Lv3, Cut Lv2, Tear Lv4, Puncture Lv3
Chemical	Acids, Bases, Solvents not suitable
Cold	For normal welding heat
Risk Category	II
En size	10 Pack Rate 36 in a carton

IDEAL APPLICATIONS

- Welding
- Wire operations
- Inspection
- Tools and instruments

Tough

Heat Resistant

KEVLAR®

Kevlar®

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **TOUGH**

PREMIUM WELDER 145

Part No. G145-L G145-XL

The Premium Welder 145 gloves provides comfort and flexibility. It is easy to wear during long working hours. Cow split leather is soft and comfortable and the extra long cuff offers more protection to the wearer. It has good abrasion, tearing and puncture resistance. High temperature resistance and good insulation.



CE EN388 3123

TECHNICAL DATA

Item code	G145-L G145-XL	
Construction	Cut and Sewn	
Liner Material	Palm jersey,cuff jean. Kevlar stitched.	
Cuff Style	Long cuff	
Colour	Yellow	
Mechanical	En388 Abrasion Lv3, Cut Lv1, Tear Lv2, Puncture Lv3	
Chemical	Acids, Bases, Solvents not suitable	
Heat	For normal welding heat	
Cold	Suitable for general application	
Risk Category	II	
En size	9, 10	36 in a carton

IDEAL APPLICATIONS

- MIG/TIG Welding & heat application
- General purpose application requiring heat
- Flame & spark protection

Tough | Heat Resistant | Kevlar®

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **TOUGH**

DEER SPLIT LEATHER

Part No. G146-L | G146-XL

Pioneer Tough Deerman glove provides comfort and flexibility. It's easy to wear during long working hours. Offers good abrasion, tearing and puncture protection. The glove is well insulated and effective in cold conditions.



EN388

3123

TECHNICAL DATA

Item code	G146-L G146-XL
Construction	Cut and Sewn
Liner Material	3M THINSULATE liner
Cuff Style	Elastic Cuff
Colour	Yellow
Mechanical	En388 Abrasion Lv3, Cut Lv1, Tear Lv2, Puncture Lv3
Chemical	Acids, Bases, Solvents not suitable
Cold	Suitable
Risk Category	II
En size	9, 10 Pack Rate 36 in a carton

IDEAL APPLICATIONS

- Winter working
- Wiring operations
- Inspection
- Tools and instruments

Tough

Kevlar®

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **TOUGH**

REFLECTIVE ALUMINISED SHIELD

Part No. GLOVEPAD01

Aluminised fiberglass outer shell reflects 95% of radiant heat, split cowhide inner layer provides extra durability. 5 Ply Kevlar stitching prevents seam burnout and a unique leather and elastic strap system provide excellent comfort.



IDEAL APPLICATIONS

- Welding

Tough

Heat Resistant

Kevlar®

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

PIONEER LEATHER



RENNOW PROJECTS

PIONEER **LEATHER**

DURABLE RIGGER

Part No. G005 | G003 | G009 | G010

One of the best selling leather gloves, split leather inner with patch palm and vein protection. Cotton backing for increased comfort and ventilation.



G010



G005



G009



G003

TECHNICAL DATA

Item code	G005 | G003 | G009 | G010	
Construction	Cut and Sewn	
Liner Material	Cowhide split leather, Cotton	
Cuff Style	Safety	
Colour	Chrome leather; Blue, Orange and Green	
Chemical	Acids, Bases, Solvents not suitable	
Risk Category	II	
En size	10 Pack Rate 120 in a carton	

IDEAL APPLICATIONS

- General purpose handling application

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **LEATHER**

GOAT SKIN TIG

Part No. G012-1 | G012-2

Goat skin TIG gloves are made from superior materials for comfort and protection. These TIG gloves have a fit proven in welding and high heat industries to offer the best fingertip sensitivity for precision welding. These gloves are made for Tungsten Inert Gas welding.



G012-1



G012-2

CE

EN388

4122

TECHNICAL DATA

Item code	G012-1 | G012-2	
Construction	Cut and Sewn	
Liner Material	A Grade goat skin, Cotton	
Cuff Style	Gauntlet and Band Cuff	
Colour	Grey	
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv2	
Chemical	Acids, Bases, Solvents not suitable	
Risk Category	II	
En size	10	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Welding application
- General purpose handling application

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **LEATHER**

PIG SKIN TIG

Part No. G012-XL | G072

Pig skin TIG gloves are made from superior materials for comfort and protection. These TIG gloves have a fit proven in welding and high heat industries to offer the best fingertip sensitivity for precision welding. These gloves are made for Tungsten Inert Gas welding.



G012-XL



G072

EN388

4122

TECHNICAL DATA

Item code	G012-XL | G072	
Construction	Cut and Sewn	
Liner Material	Tan dyed pig skin	
Cuff Style	Gauntlet and Band Cuff	
Colour	Grey	
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv2	
Chemical	Acids, Bases, Solvents not suitable	
Risk Category	II	
En size	10	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Welding application
- General purpose handling application

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **LEATHER**

PREMIUM CHROME LEATHER

Part No. G1030 | G1006 | G006-S

Premium grade chrome leather glove for general purpose handling and welding application. Thick leather for heat and puncture resistance.



G006-S



G1006



EN407



41314

CE

EN388



4244

TECHNICAL DATA

Item code	G1030 | G1006 | G006-S	
Construction	Cut and Sewn	
Liner Material	Chrome Leather	
Cuff Style	Gauntlet	
Colour	Grey	
Mechanical	En388 Abrasion Lv3, Cut Lv1, Tear Lv3, Puncture Lv2	
Chemical	Not suitable	
Risk Category	II	
En size	10	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Welding application
- General purpose handling application

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **LEATHER**

PREMIUM GREEN LINED

Part No. G1023 | G1022 | G022-S

Premium grade green lined leather glove. Fully lined and cotton piping providing comfort and support. General purpose handling and welding glove.



G022-S



G1022



G1023


EN407



41314

CE

EN388



4144

TECHNICAL DATA

Item code	G1023 | G1022 | G022-S
Construction	Cut and Sewn
Liner Material	Cowhide
Cuff Style	Gauntlet
Colour	Green
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv4, Puncture Lv4
Chemical	Not suitable
Risk Category	II
En size	10 Pack Rate 60 in a carton

IDEAL APPLICATIONS

- Welding application
- General purpose handling application

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **LEATHER**

GREEN REINFORCED PALM

Part No. G023R | G022R

Premium grade green lined leather glove. Fully lined and cotton piping providing comfort and support. General purpose handling and welding glove. Reinforced palm for added protection.



G022R



G023R

EN407



413X3X

EN388



4144

CE

TECHNICAL DATA

Item code	G023R | G022R
Construction	Cut and Sewn
Liner Material	A/B Grade cowhide split leather
Cuff Style	Turned leather hems
Colour	Dark Green
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv4, Puncture Lv4
Chemical	Not suitable
Heat	En12477 Burning behaviour Lv4, Contact Lv3, Convective Lv3, Radiant 1, Molten metal Lv4
Cold	Suitable for general application
Risk Category	II
En size	10 Pack Rate 60 in a carton

IDEAL APPLICATIONS

- Welding application
- General purpose handling application

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

PIONEER **LEATHER**

RED HEAT RESIST

Part No. G029 | G1028 | G1040

With a soft inner jersey palm lining and a cotton denim cuff, the glove is comfortable to wear. The glove is suitable for a large number of applications requiring heat resistance, including welding, operating machinery and working in environments with a high risk of heat or molten splash.



G1040



G1028



G029

EN407



41314

EN388



4244

TECHNICAL DATA

Item code	G029 | G1028 | G1040	
Construction	Cut and Sewn	
Liner Material	Denim, Cotton, A/B Grade cowhide split leather, Kevlar® stitch	
Cuff Style	Turned Leather hems	
Colour	Red	
Mechanical	En388 Abrasion Lv4, Cut Lv2, Tear Lv4, Puncture Lv4	
Chemical	Not suitable	
Heat	En407 Burning behaviour Lv4, Contact Lv3, Convective Lv3, Radiant Lv1, Small drops molten metal Lv4	
Cold	Suitable for general application	
Risk Category	II	
En size	10	Pack Rate 60 in a carton

IDEAL APPLICATIONS

- Welding application
- General purpose handling application

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **LEATHER**

WINTER GLOVE

Part No. G1041

Chrome leather wrist, light fleece lined winter glove.



EN388

4144

TECHNICAL DATA

Item code	G1041	
Construction	Cut and Sewn	
Liner Material	Cowhide	
Cuff Style	Gauntlet	
Colour	Green	
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv4, Puncture Lv4	
Chemical	Not suitable	
Risk Category	II	
En size	10	PackRate 72 in a carton

IDEAL APPLICATIONS

- Welding application
- General purpose handling application

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **LEATHER**

BLUE LINED DOUBLE PALM

Part No. G1026

Premium welders glove. Offers maximum protection when exposed to heat, flames or sparks. EN407 rated with performance levels 43314X. It features Kevlar® seams and reinforced palms and thumb.



EN407

413X3X

EN388

4144

CE

TECHNICAL DATA

Item code	G1026
Construction	Cut and Sewn
Liner Material	Denim,Cotton,A/B grade cowhide split leather,Kevlar
Cuff Style	Turned leather hems
Colour	Blue and Yellow
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv4, Puncture Lv4
Chemical	Acids,Bases,Solvents not suitable
Heat	En407 Burning behaviour Lv4,Contact heat Lv1,
	Convective heat Lv3,Radiant Lv1,Drops molten Lv 4
Cold	Suitable for general application
Risk Category	II
En size	Pack Rate 60 in a carton

IDEAL APPLICATIONS

- Welding application
- General purpose handling application
- Flame or spark protection

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **LEATHER**

PIG SKIN FLEECE LINED

Part No. G052

Grain pig skin glove with fully fleeced liner for low temperature environments.



CE EN388 4122

TECHNICAL DATA

Item code	G052		
Construction	Cut and Sewn		
Liner Material	Cotton Fleece, Grain Pig Skin		
Cuff Style	Slip On		
Colour	Tan		
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv2		
Chemical	Not suitable		
Cold	Suitable for general application		
Risk Category	II		
En size	11	Pack Rate	60 in a carton

IDEAL APPLICATIONS

• General purpose handling in cold environments

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

PIONEER PVC


PIONEER SAFETY
Titan
EN388
ART 0095
SIZE 10
PREMIUM QUALITY

RENNOW PROJECTS

Heavy duty PVC provides good resistance against many chemicals and liquids and also provides a high level of abrasion resistance for general handling. Available in various lengths to suit various applications.

TITAN HI-VIZ PVC

Part No. G094 | G095 | G091 | G092

FEATURES & BENEFITS

1. Made from high quality PVC material to suit extremely tough environments for miners.
2. Soft cotton interlock lining gives the gloves a comfortable feeling for the user.
3. Reinforced between the thumb and the forefinger.
4. High visibility prevents hand from hazards in dark.



G094



G095



G091



G092

IDEAL APPLICATIONS

- General purpose handling application
- Construction
- Mining
- Handling abrasive materials coated with grease and oil

Multi-purpose

Abrasion Resistant

CE EN388 4121

TECHNICAL DATA

Item code	G094 | G095 | G091 | G092
Construction	Cut, Sewn and Dipped
Liner Material	Cotton
Cuff Style	Gauntlet
Colour	Neon Green and Red
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
En size	10, 27cm and 35cm Pack Rate 72 in a carton

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **PVC**

ORANGE REINFORCED PVC

Part No. G630 | G631

Single dipped construction, smooth finish and outstanding abrasion-resistance for both wet and dry application. PVC will function well between temperatures of 4°C to 66°C with interlocked lining for good dexterity. Slip on cuffs for easy donning.



G630



G631

CE EN388 4121

TECHNICAL DATA

Item code	G630 | G631		
Construction	Cut, Sewn and Dipped		
Liner Material	Interlock Cotton with reinforced palm		
Cuff Style	Gauntlet and Slip On		
Colour	Neon Orange		
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1		
Chemical	Acids, Bases, Solvents not suitable		
Risk Category	II		
En size	10, 27cm and 35cm	Pack Rate	120 in a carton

IDEAL APPLICATIONS

- General handling
- Mining industry
- Oil treatment
- Metal processing
- Forestry
- Heavy duty work where durability is required

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **PVC**

ORANGE FOAMED PVC

Part No. G620 | G621 | G622

Unique foam technology gives the glove better adhesion, better grip and flexibility. Not only against chemical risk but also chemical risks. PVC willl function well between temperatures of -4°C to 66°C.



G620



G621



G622

EN374

EN388

3121

TECHNICAL DATA

Item code	G620 | G621 | G622
Construction	Cut, Sewn and Dipped
Liner Material	Interlock Cotton
Cuff Style	Gauntlet and Knit Wrist
Colour	Orange
Mechanical	En388 Abrasion Lv3, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Base, Solvents suitable for general application
Risk Category	II
En size	10, 27cm and 35cm Pack Rate 120 in a carton

IDEAL APPLICATIONS

- General handling application
- Chemical processing and preparation
- Metal fabrication
- Refilling oil and petrol

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

PIONEER

RED MEDIUM WEIGHT

Part No. G013 | G014 | G016 | G015 | G016-S

Single dipped construction, smooth finish and outstanding abrasion-resistance for both wet and dry application. PVC will function well between temperatures of 4°C to 66°C with interlocked lining for good dexterity. Slip on cuffs for easy donning.



G013



G014



G016



G015



G016-S

EN388 4121

TECHNICAL DATA

Item code	G013 | G014 | G016 | G015 | G016-S
Construction	Cut and Sewn
Liner Material	Interlock Cotton
Cuff Style	Gauntlet and Knit Wrist
Colour	Red
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
En size	10, 27cm, 35cm, 40cm and 55cm | Pack rate: 120 in a carton

IDEAL APPLICATIONS

- General purpose handling application

PIONEER **PVC**

GORGON BROWN HEAVY DUTY

Part No. G096 | G077 | G078 | G079

Extra PVC single grip construction with smooth finish, outstanding abrasion resistance for both wet and dry application. PVC will function well between temperatures of -4°C to 66°C with interlocking lining for good dexterity. Excellent resistance to abrasion and tear.


G096


G077


G078


G079

EN388

4121

TECHNICAL DATA

Item code	G096 | G077 | G078 | G079	
Construction	Cut, Sewn and Fully Dipped	
Liner Material	Interlock Cotton	
Cuff Style	Gauntlet and Knit Wrist	
Colour	Brown	
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
Risk Category	II	
En size	10, 27cm, 35cm & 40cm	Pack Rate 72 in a carton

IDEAL APPLICATIONS

- General handling used for heavy duty work where durability is required

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **PVC**

RED TERRYCLOTH PALM

Part No. G013-G | G014-G | G016-G

Single dipped construction with terrycloth, rough finish and outstanding abrasion resistance for both wet and dry application. PVC will function well between temperatures of -4°C to 66°C. Provides added protection and length, allowing maximum movement of the wrist. Very good abrasion and tear resistance.



G013-G



G014-G



G016-G

EN388

4231

TECHNICAL DATA

Item code	G013-G | G014-G | G016-G	
Construction	Cut, Sewn and Fully Dipped	
Liner Material	Cotton	
Cuff Style	Gauntlet and Knit Wrist	
Colour	Red	
Mechanical	En388 Abrasion Lv4, Cut Lv2, Tear Lv3, Puncture Lv1	
Chemical	Acid, Base, Solvents suitable for general application	
Risk Category	II	
En siz	10, 27cm and 35cm	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Handling acids, oils, fats, caustics and petroleum hydrocarbons

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **PVC**

DOUBLE DIPPED

Part No. G085 | G086 | G087 | G088

Rugged, rough finish optimises and abrasion resistance. Interlocking jersey lining for flexibility and moderate insulation to keep hands warm. Excellent resistance to abrasion and tear. Slip on cuff for easy donning.



G086



G087



G088

CE

EN388

4121

TECHNICAL DATA

Item code	G086 | G087 | G088
Construction	Cut, Sewn and Fully Dipped
Liner Material	Jersey Liner
Cuff Style	Knit Wrist and Gauntlet
Colour	Bottle Green
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents suitable for general application
Risk Category	II
En size	10, 27cm and 40cm Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Refinery and petro chemical
- Machining
- Mining
- Construction
- Handling abrasive materials coated with grease and oil
- Caustics and solvents

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

INNOVATOR 603

Part No. G603

FEATURES & BENEFITS

1. Triple dipped PVC coating with 13g seamless cotton liner and 13g seamless dyneema plus glass fiber interlayer.
2. Cut resist level 5 protects users against mechanical hazards in the workplace.
3. No-slip finishing at the palm provides better grip in wet and dry conditions.
4. Keeps good flexibility under low temperature.



IDEAL APPLICATIONS

- Mining industry
- Petroleum
- Metal processing
- Glass processing
- Auto & steel industry



CE EN388 4543 EN374 AKL

TECHNICAL DATA

Item code	G603		
Construction	Knitted and Dipped		
Gauge	13		
Liner Material	Dyneema, Glass Fiber		
Coating Material	PVC Triple Dipped		
Finishing	Fully Coated		
Colour	Black and Orange		
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv2, Puncture Lv1		
Chemical	Methanol, n-Heptane, Sodium Hydroxide 40%, Sulphuric Acid 96%		
Heat and Cold	Not suitable		
Risk Category	III		
En size	10	Pack Rate	60 in a carton

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **PVC**

BLACK CHIPPED PALM

Part No. G085

Small PVC granules at the palm provides good grip even in oily conditions.



EN388

4231

TECHNICAL DATA

Item code	G085	
Construction	Knitted	
Liner Material	Interlock Cotton	
Cuff Style	Knit Wrist	
Colour	Black	
Mechanical	En388 Abrasion Lv4, Cut Lv2, Tear Lv3, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
Risk Category	II	
En size	10	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- General handling
- Mining Industry
- Mechanical industry
- Construction
- Fishing industry

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **PVC**

HIGH VISIBILITY FREEZER

Part No. G041 | G041-30

Warm, waterproof, oil and greasy repellent glove with brilliant fluorescent orange colour which allows glove to remain clearly visible even in dim and faded light.



G041



G041-30

CE

EN388

4121

TECHNICAL DATA

Item code	G041 | G041-30	
Construction	Cut, Sewn and Fully Dipped	
Liner Material	Cotton Jersey, PU Foam Insulation	
Cuff Style	Slip On and Knit Wrist	
Colour	Fluorescent Orange	
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
Risk Category	II	
En size	10, 30cm	Pack Rate 72 in a carton

IDEAL APPLICATIONS

- Cold storage
- Airfield traffic management
- Hand signalling
- Road & railside construction site
- Traffic management

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **NITRILE**

FULLY DIPPED NITRILE

Part No. G039 | G040 | G084

Nitrile dipping prevents oil penetration through the glove. It has good abrasion resistance. Optimum comfort and flexibility. Elastic knit wrist ensures snug fit. Covered in a layer resistant to polluted pieces being handled.



G084



G040



G039

EN388

4121

TECHNICAL DATA

Item code	G039 | G040 | G084
Construction	Cut and Sewn
Liner Material	Cotton, Nylon
Cuff Style	Gauntlet and Knit Wrist
Colour	Blue and Yellow
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv2, Puncture Lv1
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
En size	10 Pack Rate 120 in a carton

IDEAL APPLICATIONS

- General purpose handling application
- Chemical hazards

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **CHEMICAL**

UNLINED SMOOTH RUBBER

Part No. G042 | G044 | G043

A smooth rubber glove made of high quality rubber mainly used to protect your hands when performing important tasks using chemicals. These gloves protect your hands from harmful materials that may render harm to your skin.



G042



G044



G043

TECHNICAL DATA

Item code	G042 | G044 | G043
Coating Material	Latex
Liner Material	Unlined
Cuff Style	Gauntlet
Colour	Black
Chemical	Acids, Bases, Solvents suitable for general application
Risk Category	II
En size	10, 35cm, 40cm & 55cm Pack Rate120 in a carton

IDEAL APPLICATIONS

- General purpose handling application
- Chemical hazards



Chemical

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

PIONEER **CHEMICAL**

UNLINED ROUGH RUBBER

Part No. G036-T | G036

A rough rubber glove made of high quality rubber mainly used to protect your hands when performing important tasks using chemicals. These gloves protect your hands from harmful materials that may render harm to your skin.



G036-T



G036

TECHNICAL DATA

Item code	G036-T | G036		
Coating Material	Latex with rough finish		
Liner Material	Unlined		
Cuff Style	Gauntlet		
Colour	Black		
Chemical	Acids, Bases, Solvents suitable for general application		
Risk Category	II		
En size	10, 35cm & 55cm	Pack Rate	120 in a carton

IDEAL APPLICATIONS

- General purpose handling application
- Chemical hazards



Chemical

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **CHEMICAL**

PALM DIPPED NITRILE

Part No. G033

Nitrile glove made from 100% high quality Nitrile with proprietary formula. Used in various kinds of oils, acids and alkaline solutions. Sun-proof, anti-friction and anti-wear.



EN374-3

EN388

4001

TECHNICAL DATA

Item code	G033	
Coating Material	Nitrile	
Liner Material	Cotton Flock Lined	
Cuff Style	Gauntlet	
Colour	Green	
Mechanical	En388 Abrasion Lv4, Cut Lv0, Tear Lv0, Puncture Lv1	
Chemical	Resistance to solvents and oil based chemicals	
Risk Category	II	
En size	7,8,9,10,11	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- High protection against abrasion
- Best choice for handling fuels and cleanup in hazmat operations

Chemical

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **CHEMICAL**

RUBBER FLOCK LINED

Part No. G606

Made of high quality rubber mainly used to protect your hands when performing important tasks using chemicals. These gloves protect your hands from harmful materials that may render harm to the skin.



EN ISO 374-1:2016/ Type A

AKL

EN ISO 374-5:2016

EN 388:2016

2 1 2 1 X

TECHNICAL DATA

Item code	G606	
Coating Material	Natural Rubber	
Liner Material	Rubber Flock Lined	
Cuff Style	Gauntlet	
Colour	Black	
Chemical	Acids, Bases, Solvents suitable for general application	
Risk Category	II	
En size	L, XL	Pack Rate 144 in a carton

IDEAL APPLICATIONS

- Engineering and workshop cleaning
- Heavy equipment maintenance
- General Industrial cleaning

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **CHEMICAL**

BLUE NITRILE HOUSEHOLD

Part No. G604

Unlined nitrile glove, used for general purpose handling.



TECHNICAL DATA

Item code	G604	
Coating Material	Nitrile	
Liner Material	Unlined	
Cuff Style	Straight cut	
Colour	Blue	
Chemical	Acids, Bases, Solvents suitable for general application	
Risk Category	II	
En size	S ,M ,L, XL	Pack Rate 144 in a carton

IDEAL APPLICATIONS

- General purpose handling application
- Chemical hazards



Chemical

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

PIONEER **CHEMICAL**

BI-COLOR NEOLATEX

Part No. G605

Neoprene flock lined glove is made from natural and chloroprene rubber. It is used in industrial cleaning and general workshop and engineering scenarios.



EN ISO 374-1:2016/ Type A
KLMPST
EN ISO 374-5:2016
EN 388:2016
2010X

TECHNICAL DATA

Item code	G605	
Coating Material	Natural and Chloroprene Rubber	
Liner Material	Unlined	
Cuff Style	Beaded	
Colour	Yellow and Blue	
Chemical	Acids, Bases, Solvents suitable for general application	
Risk Category	II	
En size	S, M , L , XL	Pack Rate 144 in a carton

IDEAL APPLICATIONS

- Engineering and workshop cleaning
- Heavy equipment maintenance
- General industrial cleaning

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **EXAMINATION**

EXAMINATION

Part No. G051 | G054

Manufactured from genuine natural rubber, these gloves combine the highest degree of dexterity with superior strength and comfort. One hundred gloves per box. May cause allergic reactions in some individuals.



G054 - Powdered



G051 - Powder Free

TECHNICAL DATA

Item code	G051 | G054
Coating Material	Latex
Liner Material	Unsupported
Cuff Style	Beaded
Colour	White
Chemical	Acids, Bases, Solvents not suitable
Risk Category	II
En size	Mixed S-XL

IDEAL APPLICATIONS

- Pharmaceutical
- Food
- Cosmetics
- Electronic components
- Laboratory
- Inspection & examination

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053


RENNOW PROJECTS

PIONEER **EXAMINATION**

EXAMINATION

Part No. G076

Powder free nitrile gloves manufactured from nitrile rubber. Eliminating the risk of allergic reactions associated with latex gloves. Textured finish provides enhanced finger grip and dexterity in both wet and dry conditions.



TECHNICAL DATA

Item code	G076		
Coating Material	Nitrile		
Liner Material	Unsupported		
Cuff Style	Beaded		
Colour	Ocean Blue		
Chemical	Acids, Bases, Solvents not suitable		
Risk Category	II		
En size	S,M,L,XL	Pack Rate 100 in a carton	

IDEAL APPLICATIONS

- Pharmaceutical
- Food
- Cosmetics
- Electronic components
- Laboratory
- Inspection & examination

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **EXAMINATION**

EXAMINATION

Part No. G059

Vinyl examination glove, powder free.

One hundred gloves per box.



TECHNICAL DATA

Item code	G076		
Coating Material	Nitrile		
Liner Material	Unsupported		
Cuff Style	Beaded		
Colour	Ocean Blue		
Chemical	Acids, Bases, Solvents not suitable		
Risk Category	II		
En size	S,M,L,XL	Pack Rate 100 in a carton	

IDEAL APPLICATIONS

- Pharmaceutical
- Food
- Cosmetics
- Electronic components
- Laboratory
- Inspection & examination

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **COTTON**

COTTON

Part No. G050 | G170 | G050-800

Lightweight, comfortable, seamless cotton glove offering superior finger dexterity and is ideal for dry handling.



G050-800
800g



G050
450g

TECHNICAL DATA

Item code	G050 | G050-800	
Construction	Knitted	
Liner Material	Cotton	
Cuff Style	Knit Wrist	
Colour	Unbleached White	
Chemical	Not suitable	
Risk Category	II	
En size	Pack Rate 600 in a carton	

IDEAL APPLICATIONS

- Light duty general handling

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **COTTON**

POLKA DOT

Part No. G034 | G034-S

Lightweight, comfortable, seamless cotton glove with PVC dotted palm for enhanced grip, offering superior finger dexterity and is ideal for dry handling.



G034
Double Sided



G034-S
Single Sided

TECHNICAL DATA

Item code	G034 | G034-S
Construction	Knitted
Liner Material	Cotton
Cuff Style	Knit Wrist
Colour	Bleached White
Chemical	Acids, Bases, Solvents not suitable
En size	Pack Rate 600 in a carton

IDEAL APPLICATIONS

- Light duty garden work

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **COTTON**

TOWELLING

Part No. G105 | G104

Double layered close knitted towelling glove with canvas safety cuff that has heat resistant properties.



G105



G104

TECHNICAL DATA

Item code	G105 | G104		
Construction	Knitted and Sewn		
Liner Material	Cotton and Canvas		
Cuff Style	Gauntlet and Knit Wrist		
Colour	White		
Chemical	Acids, Bases, Solvents not suitable		
Risk Category	II		
En size	10	Pack Rate 120 in a carton	

IDEAL APPLICATIONS

- Light duty protection in automotive plants
- Food Industry
- General material
- Parts handling

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **COTTON**

KEVLAR POLKA DOT

Part No. G101

Unlike nylon, leather and high-performance polyethylene, gloves and sleeves made of Kevlar® fiber are not only incredibly cut-resistant but are inherently flame-resistant so they won't burn, support combustion, or melt.



TECHNICAL DATA

Item code	G101	
Construction	Knitted	
Liner Material	Kevlar® and Cotton	
Cuff Style	Knit Wrist	
Colour	Blue and Yellow	
Mechanical	En388 Abrasion Lv4, Cut Lv5, Tear Lv4, Puncture LvX	
Chemical	Acids, Bases, Solvents not suitable	
Risk Category	II	
En size	10	Pack Rate 1 in a carton

IDEAL APPLICATIONS

- General work
- Glazing
- Steel industry
- Sheet metal fabrication
- Bottling and canning
- Cutting application
- Waste and rec

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **GENERAL**

PU INSPECTOR

Part No. G055 | G056

Good alternative to light or medium cotton gloves, thanks to the protection and grip provided by PU coating.



G055



G056

EN388

4131

TECHNICAL DATA

Item code	G055 | G056	
Construction	Knitted	
Gauge	13	
Liner Material	Polyester	
Coating Material	Polyurethane	
Finishing	Palm Coated, Cuff Style - Knit Wrist	
Colour	Black and White	
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv3, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	7,8,9,10,11	Pack Rate 240 in a carton

IDEAL APPLICATIONS

- Inspection
- Automotive
- Small part assembly/handling
- Quality control

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **GENERAL**

ANTI STATIC PU

Part No. G126

Anti static carbon nylon glove with PU dipping.



CE EN388 4131

TECHNICAL DATA

Item code	G126		
Construction	Knitted		
Gauge	13		
Liner Material	Nylon		
Coating Material	Polyurethane		
Finishing	Palm Coated, Cuff Style - Knit Wrist		
Colour	Black and White		
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv3, Puncture Lv1		
Chemical	Acids, Bases, Solvents not suitable		
Heat and Cold	Not suitable		
Risk Category	II		
En size	8,9,10,11	Pack Rate	240 in a carton

IDEAL APPLICATIONS

- Inspection
- Automotive
- Small part assembly/handling
- Quality control

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **GENERAL**

ECONO NITRILE DIPPED GLOVE

Part No. G089 | G021 | G019

General handling glove with nitrile dipped palm gives the necessary hand protection with both comfort and grip at an affordable price.



G021



G019



G089

TECHNICAL DATA

Item code	G089 | G021 | G019		
Construction	Knitted		
Liner Material	Polyester		
Coating Material	Nitrile		
Colour	White or Red or Orange		
Risk Category	II		
En size	10	Pack Rate	240 in a carton

IDEAL APPLICATIONS

- General handling

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **GENERAL**

LATEX DIPPED GRIPPER GLOVES

Part No. G017

General handling glove with latex dipped palm gives the necessary hand protection with both comfort and grip at an affordable price.



TECHNICAL DATA

Item code	G017 | G068		
Construction	Knitted		
Coating Material	Latex		
Liner Material	Polyester		
Cuff Style	Knit Wrist		
Colour	Yellow and Green		
Chemical	Acids, Bases, Solvents not suitable		
Risk Category	II		
En size	10	Pack Rate 120 in a carton	

IDEAL APPLICATIONS

• General purpose handling application

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **GENERAL**

COMAREX MEDIUM WEIGHT

Part No. G032 | G081

Superb wet and dry grip. Excellent abrasion resistance.



G032



G081

EN388

3131

TECHNICAL DATA

Item code	G032 | G081	
Construction	Knitted and Sewn	
Liner Material	Cotton and Canvas	
Coating Material	Latex	
Finishing	Fully Coated	
Colour	Yellow	
Mechanical	En388 Abrasion Lv3, Cut Lv1, Tear Lv3, Puncture Lv1	
Chemical	Acids, Bases, Solvents not suitable	
Heat and Cold	Not suitable	
Risk Category	II	
En size	10	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Handling of sharp edged material
- Construction
- Gardening
- Shipping and receiving
- Assembly
- Inspection
- General Maintenance

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **GENERAL**

COMAREX HEAVY WEIGHT

Part No. G047

Heavy crinkle Latex dipped glove with high abrasion resistance and anti slip coating.



EN388
4141

TECHNICAL DATA

Item code	G080 | G047	
Construction	Knitted and Sewn	
Liner Material	Cotton Jersey	
Cuff Style	Knit Wrist and Gauntlet	
Colour	Light Yellow	
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv4, Puncture Lv1	
Chemical	Not suitable	
Risk Category	II	
En size	10	Pack Rate 120 in carton

IDEAL APPLICATIONS

- Handling of sharp edged material
- Construction
- Gardening
- Shipping and receiving
- Assembly
- Inspection
- General Maintenance

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **GENERAL**

CRAYFISH

Part No. G035

7 Gauge bleached T/C liner, red latex on palm. Rough rubber coated palm for handling slippery or abrasive objects.



EN388

3143

TECHNICAL DATA

Item code	G035	
Construction	Knitted	
Liner Material	Cotton	
Cuff Style	Knit Wrist	
Colour	Red and White	
Mechanical	En388 Abrasion Lv3, Cut Lv1, Tear Lv4, Puncture Lv3	
Chemical	Acids, Bases, Solvents not suitable	
Risk Category	II	
En size	10	Pack Rate 120 in a carton

IDEAL APPLICATIONS

- Assembly
- Shipping & receiving
- Gardening / fishing
- Inspection

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **GENERAL**

HOUSEHOLD

Part No. G031 | G049

General purpose Latex household glove with a flock lining and beaded cuff. Used for a multitude of household and workplace tasks. With fish scale patterns for maximum grip.



G031
40g



G049

TECHNICAL DATA

Item code	G031 | G070 | G049	
Coating Material	Latex	
Liner Material	Unlined	
Cuff Style	Beaded	
Colour	Yellow and Pink	
Chemical	Acids, Bases, Solvents not suitable	
Risk Category	II	
En size	10, 33cm	Pack Rate 200 in a carton

IDEAL APPLICATIONS

• General purpose handling application

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

PIONEER **GENERAL**

ECONO GREEN LINED WELDING

Part No. G023 | G083 | G022

Econo grade green lined leather glove providing comfort and support at an effective cost.



G023



G083



G022

EN388

4144

TECHNICAL DATA

Item code	G023 | G083 | G022	
Construction	Cut and Sewn	
Liner Material	B Grade cowhide leather, Cotton Jersey	
Cuff Style	Turned Leather hems	
Colour	Dark Green	
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv4, Puncture Lv4	
Chemical	Not suitable	
Heat	En407 Burning behaviour Lv4, Contact Lv3, Convective	
	Lv3, Radiant Lv1, Small drops molten metal Lv4	
Cold	Suitable for general application	
Risk Category	II	
En size	10	Pack Rate 60 in a carton

IDEAL APPLICATIONS

- Welding application
- General purpose handling application

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

PIONEER **GENERAL**

ECONO CHROME LEATHER

Part No. G030 | G006

B Grade chrome leather glove for general purpose handling and welding application.



G030



G006

EN388

3132

TECHNICAL DATA

Item code	G030 | G006
Construction	Cut and Sewn
Liner Material	Unlined
Cuff Style	Gauntlet
Colour	Grey
Mechanical	En388 Abrasion Lv3, Cut Lv1, Tear Lv3, Puncture Lv2
Chemical	Not suitable
Risk Category	II
En size	10 Pack Rate 120 in a carton

:AL APPLICATIONS

elding application

• General purpose handling application

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

PIONEER **GENERAL**

VIP LEATHER

Part No. G038 | G038-G

General purpose leather glove used for handling application.



G038



G038-G

CE EN388 4143

TECHNICAL DATA

Item code	G038 | G038-G	
Construction	Cut and Sewn	
Liner Material	Cowhide leather	
Cuff Style	Slip On	
Colour	Green and Red	
Mechanical	En388 Abrasion Lv4, Cut Lv1, Tear Lv4, Puncture Lv3	
Chemical	Not suitable	
Risk Category	II	
En size	10	Pack Rate 120 in a carton

IDEAL APPLICATIONS

• General purpose handling application

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **GENERAL**

BLUE WELDERS

Part No. G004-A | G024B

Blue lined welding glove suitable for general purpose handling and welding application.



G004-A



G024B

EN388

3144

TECHNICAL DATA

Item code	G004-A | G024B | G027-K	
Construction	Cut and Sewn	
Liner Material	B Grade Cowhide, Cotton Jersey	
Cuff Style	Gauntlet	
Colour	Blue	
Mechanical	En388 Abrasion Lv3, Cut Lv1, Tear Lv4, Puncture Lv4	
Chemical	Not suitable	
Risk Category	II	
En size	10	Pack Rate 72 in a carton

IDEAL APPLICATIONS

- Welding application
- General purpose handling application

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

PIONEER

LEATHER GLOVES

Part No. G012-P | G020 | G012-3 | G007 | G001

General purpose leather glove used for handling application.



G012-3
Furniture Leather



G012-P
Split Pig Skin



G001
Goat Skin



G020
Grain Pig Skin



G007
Brick Glove

IDEAL APPLICATIONS

• General purpose handling application

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PIONEER **GENERAL**

BLACK BUILDERS GLOVE

Part No. G018

General purpose Latex glove.



TECHNICAL DATA

Item code	G018		
Coating Material	Latex		
Liner Material	Unlined		
Cuff Style	Beaded		
Colour	Black		
Chemical	Acids, Bases, Solvents not suitable		
Risk Category	II		
En size	10, 33cm	Pack Rate	240 in a carton

IDEAL APPLICATIONS

- General purpose handling application

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

PIONEER **GENERAL**

GLOVE CLIP

Part No. GCLIP01

Moulded glove clip is engineered using dielectric material which is non conductive and non corrosive. The glove clip comes with a safety break to prevent entanglement. The large 20cm claw attaches to most PPE and has a maximum strength of 6kg.



TECHNICAL DATA

Item code	GCLIP01
Material	Plastic
Colour	Yellow

IDEAL APPLICATIONS

- Metal free glove clip

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za


PIONEER SAFETY
PREMIUM QUALITY

RENNOW PROJECTS

MESH BIB

- Item Code : V014-Y / V014-O
- High visibility
- 20mm class 2 reflective tape
- Material: Polyester mesh 50gsm
- Affordable quality
- Standard EN20471
- Size: 37 x 53cm
- Pack: 200 in a box



V014-Y V014-O

SOLID BIB

- Item Code : V015-Y / V015-O
- High visibility
- 20mm class 2 reflective tape
- Material: Polyester solid 110gsm
- Affordable quality
- Standard EN20471
- Size: 37 x 53cm
- Pack: 200 in a box



V015-O V015-Y

ADJUSTABLE BIB

- Item Code : V016-Y
- High visibility lime vest
- Five way adjustable
- Velcro attachment
- White PVC reflective tape
- Pack: 100 in a box



V016-Y

PREMIUM BIB

- Item Code : V017-Y
- High visibility, heavy duty lime bib
- 20mm class 2 reflective tape
- Velcro attachment
- Size: 57 x 39cm
- Pack: 100 in a box



V017-Y

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

SOLID VESTS

- High visibility
- 100% Polyester 120gsm
- 50mm class 2 reflective tape
- Nylon zip with plastic ID pocket
- Construction, mining, warehousing
- Size: S - 5XL
- Standard ISO20471:2013 approved
- Pack: 100 in a box


V018


V032


V021


V022


V023-Y


V013


V033


V020


V034


V023-O


V023-O

METRO TRAFFIC JACKET

- Item Code: V025 - long sleeve
  V027 - sleeveless
  V030 - detachable sleeves
- High visibility lime / orange
- 100% Polyester 120gsm
- 50mm class 2 reflective tape
- Plastic ID pocket
- Construction, mining, warehousing
- Size: S - 4XL
- Standard ISO20471:2013 approved
- Pack: 100 in a box


V025


V027


V030


DETACHED SLEEVE

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

LED LIGHT VEST

- Item Code : V026
- High visibility
- Orange reflective vest with LED light
- Yellow PVC reflective tape
- Velcro adjustable
- One size fits all
- Batteries not included
- Pack: 50 in a box



V026

SIGNALING VEST

- Item Code : V035 / V036
- Two tone high visibility
- Nylon zip, plastic ID pocket
- 100% Polyester with black binding 120gsm
- 50mm class 2 reflective tape, shoulder & waist
- Top and bottom pockets
- Contrast binding at the arms and neckline
- Construction, mining, warehousing
- Size: S - 4XL
- Pack: 50 in a box







V035







V036

REFLECTIVE TAPE

- EP010: Lime/silver | 5 x 2cm tape | 100m roll
- EP012: Orange/silver | 5 x 2cm tape | 100m roll
- EP017: Silver | 5cm tape | 200m roll
- EP018: White PVC | 5cm tape | 50m roll
- EP019: Lime PVC | 5cm tape | 50m roll
- EP050: Premium lime/silver | 5 x 2cm tape | 100m roll
- EP060: Premium orange/silver | 5 x 2cm tape | 100m roll



CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za


PIONEER SAFETY
PREMIUM QUALITY

PVC PREMIUM RAIN SUIT

- Item Code : R005
- Heavy duty virgin PVC
- Thickness 0.3mm
- Adjustable cuff, pocket flaps with plastic strap
- Size: S - 5XL
- Colour: Yellow
- Pack: 20 in a box



R005

RUBBERISED RAIN SUIT

- Item Code : RY / RN / RG / RBK
- 100% waterproof PVC coated
- Thickness 0.17mm
- Heat sealed seams, durable rain suit
- Two pockets, elastic cuff and storm flaps
- Elastic waist and top stitching
- Size: S - 5XL
- Colour: Yellow, navy, olive green, black
- Pack: 20 in a box



RY



RN



RG



RBK

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RAIN SUIT/REF TAPE

- Item Code : RRN / RRY / RRL / RRO
- 100% waterproof PVC coated
- Thickness 0.2mm, density 180T
- Two pockets, elasticated cuffs and storm flaps
- 50mm reflective tape across torso, back & knees
- Seams are heat sealed
- Elasticated trouser waist, double top stitching
- Size: S - 4XL
- Colour: Navy, yellow, lime, orange
- Pack: 20 in a box


RRO


RRN


RRY


RRL

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RAIN SUIT/PVC

- Item Code : R001 / R002
- 100% waterproof PVC coated
- Two pockets, elasticated cuffs and storm flaps
- 50mm reflective tape across torso, back & knees
- Elasticated trouser waist, double top stitching
- Size: S - 5XL
- Colour: Yellow, navy
- Pack: 20 in a box


R001


R002

RAIN COAT/PVC

- Item Code : R003 / R004
- 100% waterproof PVC rain coat
- Two pockets, raglan sleeve styling
- Press stud front
- Double top stitching with adjustable hood
- Heat sealed seams
- Size: S - 5XL
- Colour: Yellow, navy
- Pack: 50 in a box


R003


R004

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RAIN COAT/RUBBERISED

- Item Code : RCY / RCO / RCN
- 100% waterproof PVC rain coat
- Raglan sleeve styling
- Press stud front
- Double top stitching with adjustable hood
- Heat sealed seams
- Size: S - 5XL
- Colour: Yellow, orange, navy
- Pack: 50 in a box



RCY



RCN



RCO

HI-VIZ RAIN JACKET

- Item Code : V019
- Size: S - 5XL
- Pack: 40 in a box



V019

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

PIONEER SAFETY



HI-VIZ PARKA JACKET


- Item Code : V001 / V002
- 100% Polyester 300D PU coated
- Collared long sleeve jacket with hanger loop
- Concealed hood with drawstring
- Heavy duty zip with storm cuffs
- Two large pockets with straight cut flaps
- Mining and contracting
- Size: S - 4XL
- Standard EN ISO20471:2013
- Colour: Lime, navy
- Pack: 10 in a carton



V001



Buttons



Pockets



Reflective Tape



V002

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

BUNNY JACKET

- Item Code : V003 / V004 / V005
- 80% Polyester, 20% Cotton, 310gsm
- Outer: 280gsm, Inner: 240gsm
- Detachable sleeves
- Nylon zip and inner fleece collar
- Elasticated rib knit cuff and waist band
- Left arm pen pocket, chest pocket
- 50mm high visibility reflective tape
- Mining and contracting
- Size: S - 4XL
- Standard EN ISO20471:2013
- Colour: Orange, lime, navy
- Pack: 10 in a carton





V003



V004



V005

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

TWO TONE PARKA

- Item Code : V006 / V007
- 100% Polyester, 300D PU coated
- Lining 190T, 100% Polyester Taffeta
- Collared long sleeve jacket with hanger loop
- Concealed hood with drawstring
- Fastener and velcro closure
- Heavy duty two-way zip with storm cuff
- 50mm high visibility reflective tape
- Two large pockets with straight cut flap, secure pocket with velcro
- Mining and contracting
- Size: S - 4XL
- Standard EN ISO20471:2013, EN343 (31), EN342
- Colour: Orange/navy, Yellow/navy
- Pack: 10 in a carton



V006







V007

FREEZER JACKET/TROUSER

- Item Code : V008 - Jacket
  V007 - Trouser
- 180g bonded Duratherm filler
- 210D oxford polyester outer, 180g quilt padding
- 150D Polyester lining
- Large outer pockets, standard hood
- Colour: navy
- Rating: -5°C
- Size: S - 4XL
- Pack: 10 in a carton



V008



V009

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053


Pioneer Safety
Pioneer Safety
A022
PREMIUM QUALITY

RENNOW PROJECTS

YELLOW LEATHER APRON JACKET

- Item Code : A020-M / A020-L / A020-2XL / A020-3XL
- Yellow leather apron jacket
- High quality, easily adjustable
- Kevlar stitched
- Torso and lower waist protection
- Size: M - 3XL
- Colour: Yellow
- Pack: 20 in a carton


A020

YELLOW APRON - 60X90MM

- Item Code : A021
- Yellow leather apron
- High quality, easily adjustable
- Kevlar stitched
- Torso and lower waist protection
- Size: 60x90mm
- Colour: Yellow
- Pack: 50 in a carton


A021

YELLOW APRON - 60X120MM

- Item Code : A021-B
- Yellow leather apron
- High quality, easily adjustable
- Kevlar stitched
- Torso and lower waist protection
- Size: 60x120mm
- Colour: Yellow
- Pack: 50 in a carton


A021-B

TOUGH LEATHER ARM SLEEVE

- Item Code : A013 / A014
- Leather arm sleeve
- High quality, easily adjustable, cut resistant
- Abrasion resistance, A013 flame retardant
- Size: 48cm
- Colour: Red/black, yellow
- Pack: 300 in a carton


A013 A014

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

PREMIUM WELDERS JACKET

- Item Code : A023-L / A023-XL / A023-2XL / A023-3XL
- Pioneer tough red and black welders jacket
- High quality, easily adjustable
- Pockets on sleeves
- Size: L-3XL
- Colour: Black/red



A023



CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

CHROME LEATHER APRON - 60X90MM

- Item Code : A018
- Chrome leather apron
- High quality leather
- Torso and waist protection
- Size: 60 x 90mm
- Colour: Chrome leather
- Pack: 60 in a carton


A018

CHROME LEATHER APRON - 60X120MM

- Item Code : A018B
- Chrome leather apron
- High quality leather
- Torso and waist protection
- Size: 60 x 120mm two piece
- Colour: Chrome leather
- Pack: 50 in a carton


A018B

CHROME LEATHER YOKE

- Item Code : A015-M / A015-L / A015-XL / A015-2XL / A015-3XL / A015-4XL
- Chrome leather yokes
- High quality
- Double stitched
- Size: L-4XL
- Colour: Chrome leather


A015

CHROME LEATHER WELDERS JACKET

- Item Code : A022-L / A022-XL / A022-2XL / A022-3XL / A022-4XL
- Chrome leather welders jacket
- High quality, easily adjustable
- Pockets on torso
- Size: L-4XL
- Colour: Chrome leather


A022

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

KNEE SPATS

- Item Code : A016
- Chrome leather knee spats
- A/B Grade split cow leather
- Plastic buckle
- Colour: Chrome leather
- Pack: 80 in a carton



A016

ANKLE SPATS

- Item Code : A017
- Chrome leather ankle spats
- A/B Grade split cow leather
- Plastic buckle
- Colour: Chrome leather
- Pack: 120 in a carton



A017

CHROME LEATHER WELDERS TROUSER

- Item Code : A012-M / A012-L / A012-XL / A012-2XL / A012-3XL / A012-4XL
- Chrome leather welders trouser
- High quality, easily adjustable
- Double stitched, stud front
- Size: L-3XL
- Colour: Chrome leather



A012

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

PVC APRONS

- Item Code : PVC-APRON
- 100% PVC reinforced Polyester
- Waterproof
- Applications: construction, ship yards, chemical spraying, agricultural, industrial
- Colour: Blue, red, orange, yellow, grey, white
- Size: 90 x 120cm
- Pack: 100 in a carton



PVC-APRON-BLUE



PVC-APRON-RED



PVC-APRON-HD



PVC-APRON-HDY



PVC-APRON-600G



PVC-APRON-ORG

PVC APRONS - BLOOD AND FAT

- Item Code : PVC-APRON-B&F
- 100% PVC reinforced Polyester
- Blood and fat
- Applications: construction, ship yards, chemical spraying, agricultural, industrial
- Size: 90 x 120cm
- Colour: White
- Thickness: 0.22mm
- Pack: 50 in a carton



PVC-APRON-B&F

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053


PIONEER
SAFETY
STEELPRO
SAFETYGEN
Virginia
FUERA
BRIO 1000
PREMIUM QUALITY

MOP CAP

- Item Code : A025
- Colour: White, blue, red, yellow, pink, green, black
- Features: soft, light, economical and breathable
- Application: hygienic environment
- Pack: 100 poly bags, 20 bags per carton


A025-BLUE


A025-RED


A025-YELLOW


A025-PINK


A025-GREEN


A025-BLACK


A025

DELI GLOVE

- Item Code : A002
- Clear deli glove
- Pack: 100 in a box, 10 in a carton



SHOE COVER

- Item Code : A003
- Disposable shoe cover
- Pack: 100 in a box, 10 in a carton



PLASTIC APRON

- Item Code : A004
- Disposable plastic apron
- Pack: 100 in a box, 10 in a carton



BEARD COVER

- Item Code : A028
- Disposable beard cover
- Pack: 100 in a box, 10 in a carton



CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

BASIC COVERALL - WHITE

- Item Code : A033
- Material: Polypropylene SPP 35g/m
- Style: elasticated hood, cuffs, back and ankles
- Features: soft, light, breathable and economical
- Protects against dust and dirt
- Applications: hygiene, cleaning, food industry, factories, household and hospitals
- Colour: White
- Size: S-3XL
- Pack: 1 per bag, 50 in a carton


A033

BASIC COVERALL - BLUE

- Item Code : A033B
- Material: Polypropylene SPP 35g/m
- Style: elasticated hood, cuffs, back and ankles
- Features: soft, light, breathable and economical
- Protects against dust and dirt
- Applications: hygiene, cleaning, food industry, factories, household and hospitals
- Colour: Blue
- Size: S-3XL
- Pack: 1 per bag, 50 in a carton


A033B

PREMIUM COVERALL

- Item Code : A044
- Material: Polypropylene SPP 50g/m
- Style: elasticated hood, cuffs, back and ankles
- Features: zip up front, soft, light, breathable and economical, waterproof
- Protects against dust and dirt
- Applications: hygiene, cleaning, food industry, factories, household and hospitals
- Colour: White
- Size: S-3XL
- Pack: 1 per bag, 60 in a carton


A044

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

COVERALL - TYPE 5/6

• Item Code : A042
• Material: Polypropylene coated Bi - PP/PE, spunbond non-woven 45gsm
• Style: one piece elasticated hood, cuffs, back and ankles, overlocked seams
• Features: zip up front, soft, light, breathable and economical, good for warm temperatures
• Applications: pharmaceutical, industrial, maintenance, electric assembly, asbestos removal, ship cleaning, spray painting, mining, wood and metal processing, hygiene, cleaning, food industry, factories, household and hospitals
• Optimised weight fabric ensures good mechanical strength, good barrier against particles such as asbestos, brick, dust, light aerosol mist
• Not suitable for heavy liquid splashes or sprays in wet environments
• Strong anti-static treatment eliminates static build up
• Standard: Type 5 EN ISO 13982-1 dry particle suit
Type 6 EN13034 - reduced spray suit
• Colour: White
• Size: S-4XL
• Pack: 1 per bag, 50 in a carton


A042

COVERALL - TYPE 4/5/6

• Item Code : A043
• Material: Polypropylene coated Bi - PP/PE, spunbond non-woven 60gsm
• Style: one piece elasticated hood, cuffs, back and ankles, overlocked seams
• Features: zip up front, soft, light, breathable and economical, good for warm temperatures
• Applications: pharmaceutical, industrial, maintenance, electric assembly, asbestos removal, ship cleaning, spray painting, mining, wood and metal processing, hygiene, cleaning, food industry, factories, household and hospitals
• Optimised weight fabric ensures good mechanical strength, good barrier against particles such as asbestos, brick, dust, light aerosol mist
• Not suitable for heavy liquid splashes or sprays in wet environments
• Strong anti-static treatment eliminates static build up
• Standard: Type 4 EN14605 - spray tight suit
Type 5 EN ISO 13982-1 - dry particle suit
Type 6 EN13034 - reduced spray suit
• Colour: White
• Size: M-3XL
• Pack: 1 per bag, 50 in a carton


A043

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053


PIONEER SAFETY
PREMIUM QUALITY

RENNOW PROJECTS

CONTI SUIT - POLYCOTTON

- 80/20 polycotton twin fabric, 195gsm
- Concealed metric zip, two side pockets, monza chest pocket with single top stitching throughout
- Pants have elasticated waist band, two sides and back pocket
- Triple stitched inner leg, back and sides
- Size: sold according to trouser size
- Pack: 1 per bag, 30 in a carton



CSO CSBG CSR CSG CSK CSBLK CSN



CSB



CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

CONTI SUIT - D59

• Item Code : D59AF-J (jacket)
D59AF-T (trouser)
• 100% cotton with acid and flame retardant finish 300gsm triple stitched
• Features (jacket): reinforced bar tacked seam and pressure points, flame retardant reflective tape on elbows, concealed YKK front zip, chest pocket with V-Flap and press stud, hanger loop, side slits and elastic cuffs
• Features (trouser): reinforced bar tacked seams and pressure points, flame retardant tape on knees, elasticated waist band, triple stitched, two single pockets, money and side tool pockets, one back patch pocket
• Colour: Navy
• Size (jacket): 32-56
• Size (trouser): 28-52
• Pack: 1 per bag, 30 in a carton







CONTI SUIT - DENIM

• Item Code : CSD / CSJ-54 / CSN-J54
• 100% cotton twin fabric, 200gsm, 300gsm, 10oz
• Denim fabric
• Sold according to jacket size
• Double top stitched in gold
• Features (jacket): Two side pockets, monza chest pocket, single top stitching throughout
• Features (trouser): Elasticated waist band, two sides and one back pocket, triple stitched inner leg and back rise
• Colour: Navy, black
• Size: 32-60
• Pack: 1 per bag, 30 in a carton


CSN-J54


CSJ-54


CSD

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

RENNOW PROJECTS

CONTI SUIT - FLAME RESISTANT

- Item Code : CSGF
- 100% cotton fabric with flame resistant finish, 310gsm
- Sold according to trouser size
- Features (jacket): Two side pockets, monza chest pocket, single top stitching throughout
- Features (trouser): Elasticated waist band, two sides and one back pocket, triple stitched inner leg and back rise
- Colour: Fern green
- Size: 32-58
- Pack: 1 per bag, 30 in a carton



CSGF

CONTI SUIT - ACID RESISTANT

- Item Code : CSA
- 80/20 polycotton fabric with acid resistant finish, 195gsm
- Sold according to trouser size
- Features (jacket): Two side pockets, monza chest pocket, single top stitching throughout
- Features (trouser): Elasticated waist band, two sides and one back pocket, triple stitched inner leg and front rise
- Colour: Bottle green
- Size: 32-58
- Pack: 1 per bag, 30 in a carton



CSA

CONTI SUIT - MEASURED BY CHEST/WAIST

Metric Size (cm)	77/67	82/72	87/77	92/82	97/87	102/92	107/97	112/102	117/107	122/112	127/117	132/122	137/127	142/132	147/137
Imperial Size (in)	32/26	32/28	34/30	36/32	38/34	40/36	42/38	44/40	46/42	48/44	50/46	52/48	54/50	56/52	58/54
Chest (cm)	96	100	105	109	114	118	123	127	131	135	140	144	149	153	157
Waist (cm)	75	80	85	90	95	100	105	110	115	120	125	130	135	140	145
Outer Leg (cm)	96.5	98	99	100	101	101	102	102	103	104	108	108	109	109	110


CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053


PIONEER
SAFETY
Pioneer
Safety Footwear
PREMIUM QUALITY

SAFETY SHOE - LMD

- Item Code : LMD600
- Steel toe-cap
- Upper bartan print leather inner sole
- Removable inner sole
- Wide profile carbon steel toe-cap
- Dee Ring eyelets
- Sole: dual density polyurethane sole
- Impact resistant steel toe-cap of 200 joules, iron shoe buckle
- Padded tongue and collar for increased comfort
- Nylon laces, PU foamed inner collar lining
- Sole resistant of 90° C
- Oil / stroke resistant
- Crack resistant, anti static
- Standard CE EN ISO20345:2014-SB
- NRCS approval No: NRCS/9002/287675/0009
- Size: UK 3-14
- Pack: 10 in a carton





LMD600

SAFETY BOOT - PNBT

- Item Code : PNBT
- Steel toe-cap and mid sole
- Upper bartan print leather inner sole
- Removable inner sole
- Wide profile carbon steel toe-cap
- Dee Ring eyelets
- Sole: dual density polyurethane sole
- Impact resistant steel toe-cap of 200 joules, steel mid sole iron shoe buckle
- Padded tongue and collar for increased comfort
- Nylon laces, PU foamed inner collar lining
- Sole resistant of 90° C
- Oil / stroke resistant
- Crack resistant, anti static
- Standard CE EN ISO20345:2014-SBP
- NRCS approval No: NRCS/9002/287675/00010
- Size: UK 3-14
- Pack: 10 in a carton





PNBT




CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

RENNOW PROJECTS

SAFETY SHOE - KONO

- Item Code : KONO
- Steel toe-cap
- Upper bartan print leather inner sole
- Removable inner sole
- Wide profile carbon steel toe-cap
- Dee Ring eyelets
- Sole: dual density polyurethane sole
- Impact resistant steel toe-cap of 200 joules, steel mid sole iron shoe buckle
- Padded tongue and collar for increased comfort
- Nylon laces, PU foamed inner collar lining
- Sole resistant of 90° C
- Oil / stroke resistant
- Crack resistant, anti static
- Standard CE EN ISO20345:2014-SB
- NRCS approval No: NRCS/9002/287675/0106
- Size: UK 3-14
- Pack: 10 in a carton



KONO

SECURITY BOOT

- Item Code : PB003
- Fabrication: premium canvas upper sole, removable inner sole, Dee ring eyelets, dual density, polyurethane sole
- Features: padded tongue and collar for increased comfort, sole resistant of 90°C
- Slip resistant
- Crack resistant
- Anti static
- Standard CE EN ISO20345:2014-01
- Size: UK 3-14
- Pack: 10 in a carton



PB003

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

COMMANDER BOOT - CHELSEA

- Item Code : PB001
- Fabrication: bartan print leather upper inner sole, removable inner sole, wide profile carbon steel toe-cap, dual density polyurethane sole
- Impact resistant steel toe-cap of 200 joules, iron shoe buckle, padded tongue and collar for added comfort
- Nylon laces, PU foamed inner collar lining, sole resistant to 90°C
- Oil resistant dual density PU
- Slip resistant
- Crack resistant
- Anti static
- Standard CE EN ISO20345:2014-S1
- NRCS approval No: NRCS/9002/287675/0070
- Size: UK 3-14
- Pack: 10 in a carton
- Colours: Black and brown





PB001








PIONEER
SAFETY
PREMIUM QUALITY

DOUBLE LANYARD - SNAP HOOK

- Item Code : FAP001
- Application: Fall arrest
- Features: Easy to fit harness with light weight double leg lanyard and snap hooks. Energy-absorbing element.
- Lanyard set: 1.75m long including energy absorber
- Adjustment: Leg straps (buckles), chest strap (25mm Dee Rings)
- Size: S-2XL
- Options: can be supplied with 45mm chest strap
- Standard: SANS 50361:2003,
  SANS 50355:2003,
  SANS 50354:2003
- Pack: 10 in a carton

SABS APPROVED



FAP001

DOUBLE LANYARD - SCAFFOLD HOOK

- Item Code : FAP003
- Application: Fall arrest
- Features: Easy to fit harness with light weight double leg lanyard and snap hooks. Energy-absorbing element.
- Lanyard set: 1.75m long including energy absorber
- Adjustment: Leg straps (buckles), chest strap (25mm Dee Rings)
- Size: S-2XL
- Options: can be supplied with 45mm chest strap
- Standard: SANS 50361:2003,
  SANS 50355:2003,
  SANS 50354:2003
- Pack: 10 in a carton

SABS APPROVED



FAP003

SCAFFOLD HOOKS WITH BELT

- Item Code : FAP004
- Application: Fall arrest
- Features: Easy to fit harness with light weight double leg lanyard and snap hooks. Energy-absorbing element.
- Lanyard set: 1.75m long including energy absorber
- Adjustment: Leg straps (buckles), chest strap (25mm Dee Rings)
- Standard waist belt
- Size: S-2XL
- Options: can be supplied with 45mm chest strap
- Standard: SANS 50361:2003,
  SANS 50355:2003,
  SANS 50354:2003
- Pack: 10 in a carton

SABS APPROVED



FAP004

PERFORMANCE HARNESS - 3 POINT

- Item Code : FAP022
- Application: Fall arrest
- Features: padded belt for working position, banded dorsal attachment point, and padded leg straps
- Adjustment: leg and shoulder straps, waist belt and chest strap
- Size: S-2XL
- Option: step can be fitted (not supplied standard)
- SABS approval, SANS 50361:2003 - full body harness
  SANS 50358:2008 - working positioning



FAP001

SABS APPROVED

COMPONENT	MATERIAL PROPERTIES
Primary Webbing (blue)	Polyester 44mm - breaking strength 22kN
Steel dee ring	Breaking strength 3 tonnes
Standard buckle	Alloy steel 2-3 bar buckle to suit 44mm webbing
Plastic insert	Polypropylene moulded insert
Yarn	Polyester thread with colour contrasting to webbing colour
Label	Textile material 44mm wide - thermal transfer
Padding	High density foam 6mm

PERFORMANCE HARNESS - 3 POINT MINING

- Item Code : FAP022-MINE
- Application: Fall arrest
- Features: padded belt with cap lamp straps, banded dorsal attachment point, and padded leg straps
- Adjustment: leg and shoulder straps, waist belt and chest strap
- Size: S-2XL
- Option: step can be fitted (not supplied standard)
- SABS approval, SANS 50361:2003 - full body harness



FAP004

SABS APPROVED

COMPONENT	MATERIAL PROPERTIES
Primary Webbing (blue)	Polyester 44mm - breaking strength 22kN
Steel dee ring	Breaking strength 3 tonnes
Standard buckle	Alloy steel 2-3 bar buckle to suit 44mm webbing
Plastic insert	Polypropylene moulded insert
Yarn	Polyester thread with colour contrasting to webbing colour
Label	Textile material 44mm wide - thermal transfer
Padding	High density foam 6mm
Cap lamp strap	Green strap with eyelets
Hook & rivets	Alloy steel

PERFORMANCE HARNESS - PADDED

- Item Code : FAP022-PADDED
- Application: Fall arrest
- Features: padded belt for working position, banded dorsal attachment point, and padded leg straps
- Adjustment: leg and shoulder straps, waist belt and chest strap
- Size: S-2XL
- Option: step can be fitted (not supplied standard)
- SABS approval, SANS 50361:2003 - full body harness



FAP001

SABS APPROVED

COMPONENT	MATERIAL PROPERTIES
Primary Webbing (blue)	Polyester 44mm - breaking strength 22kN
Steel dee ring	Breaking strength 3 tonnes
Standard buckle	Alloy steel 2-3 bar buckle to suit 44mm webbing
Plastic insert	Polypropylene moulded insert
Yarn	Polyester thread with colour contrasting to webbing colour
Label	Textile material 44mm wide - thermal transfer
Padding	High density foam 6mm

TECHNICAL HARNESS - 4 POINT

- Item Code : FAP014
- Application: Fall arrest, work positioning
- Features: X-padded over shoulders, padded waist belts and legs, gear loops on waist belt
- Adjustment: leg and shoulder straps, standard buckles, carabiner connector in front, easy fitment, waist belt quick release buckle
- Size: S-2XL
- Option: step can be fitted (not supplied standard)
- SABS approval, SANS 50361:2003 - full body harness
  SANS 50358:2008 - working positioning
  SANS 50362:2008 - connectors



FAP004

SABS APPROVED

COMPONENT	MATERIAL PROPERTIES
Primary Webbing	Polyester 44mm - breaking strength 22kN
Steel dee ring	Breaking strength 3 tonnes
Standard buckle	Alloy steel 2-3 bar buckle to suit 44mm webbing
Plastic insert	Polypropylene moulded insert
Carabiner	Steel screwgate carabiner with breaking strength of 22kN
Yarn	Polyester thread with colour contrasting to webbing colour
Label	Textile material 44mm wide - thermal transfer
Padding	High density foam 6mm
Quick release buckle	Alloy steel bayonet type buckle
Gear loop	Webbing loop 25mm with tubular PVC sleeve

TRANSNET TYPE HARNESS

- Item Code : FAP014-TRANSNET
- Application: Fall arrest, working position
- Features: X-Padding over shoulders, padded waist belt and legs, gear loops on waist belt
- Adjustment: leg straps and waist belt, quick release buckles, carabiner connection in front for easy fitment, shoulder straps
- Size: S-2XL
- Option: step can be fitted (not supplied standard)
- SABS approval, SANS 50361:2003 - full body harness
  SANS 50358:2008 - working positioning
  SANS 50362:2008 - connectors



FAP001

COMPONENT	MATERIAL PROPERTIES
Primary Webbing	Polyester 44mm - breaking strength 22kN
Steel dee ring	Breaking strength 3 tonnes
Standard buckle	Alloy steel 2-3 bar buckle to suit 44mm webbing
Plastic insert	Polypropylene moulded insert
Carabiner	Steel screwgate carabiner with breaking strength of 22kN
Yarn	Polyester thread with colour contrasting to webbing colour
Label	Textile material 40mm wide - thermal transfer
Padding	High density foam 6mm
Quick release buckle	Alloy steel bayonet type buckle
Gear loop	Webbing loop 25mm with tubular PVC sleeve



ESKOM TYPE HARNESS - POWERLINES KIT

- Item Code : FAP017
- Application: Fall arrest, working position
- Features: X-Padding over shoulders, padded waist belt and legs, gear loops on waist belt
- Lanyard set: double leg with energy absorber and scaffold hook
- Kit content: a. Eskom type harness (4 point)
  b. Lanyard SC2
  c. Working position lanyard (webbing type)
  d. Climbing sling 150cm (x2)
  e. Gear bag 50
- Adjustment: leg straps and waist belt, quick release buckles, carabiner connection in front for easy fitment, shoulder straps
- Size: S-2XL
- Option: step can be fitted (not supplied standard)
- SABS approval, SANS 50361:2003 - full body harness
  SANS 50355:2003 - energy absorber
  SANS 50354:2003 - lanyard
  SANS 50362:2008 - connectors
  SANS 50358:2008 - working position
  SANS 50566:1997 - slings

SABS APPROVED



FAP001

COMPONENT	MATERIAL PROPERTIES
Primary Webbing	Polyester 44mm - breaking strength 22kN
Steel dee ring	Breaking strength 3 tonnes
Standard buckle	Alloy steel 2-3 bar buckle to suit 44mm webbing
Quick release buckle	Alloy steel bayonet type buckle
Plastic insert	Polypropylene moulded insert
Carabiner	Steel screwgate carabiner with a breaking strength of 22kN
Yarn	Polyester thread with colour contrasting to webbing colour
Label	Textile material 40mm wide - thermal transfer
Padding	High density foam 6mm
Gear loop	Webbing loop 22mm with tubular PVC sleeve
Scaffold hook	Steel double action scaffold hook, breaking strength of 22kN
Snap hook	Steel double action snap hook, breaking strength of 22kN
Sleeve	High wear synthetic sleeve, lay flat
PVC bag fabric	Reinforced PVC fabric 550gsm

TOOLING LANYARD

- Item Code : FAP006
- Application: Securing tooling while working at height, elasticated webbing lanyard
- Toggle and carabiner ends
- Length: 80mm at maximum extension
- Capacity: 8kg
- Pack: 100 in a carton



FAP006

FIRST AID KIT - MOTORIST

- Item Code : A038
- Application: First aid bag for emergencies
- Features: eye pad, wound cleaner, gauze, swabs, forceps, scissors, safety pins, triangular & conforming bandages, paper tape roll, latex gloves, first aid dressing, assorted plasters, CPR mouth pieces and interlocking plastic splints
- Pack: 1 in a carton



A038

FIRST AID KIT - REG 3

- Item Code : RS009
- Application: First aid bag for industrial environments
- Refills sold separately (RS009-1)
- Features: eye pad, wound cleaner, gauze, swabs, forceps, scissors, safety pins, triangular & conforming bandages, adhesive plaster roll, latex gloves, first aid dressing, assorted plasters, CPR mouth pieces and interlocking plastic splints, cotton wool
- Pack: 1 in a carton



RS009

FIRST AID KIT - REG 7

- Item Code : RS009-2
- Application: First aid bag for mining
- Refills sold separately (RS009-1)
- Features: wound cleaner, gauze, swabs, forceps, scissors, safety pins, bandages, plaster roll, latex gloves, first aid dressing, CPR mouth pieces and interlocking plastic splints, cotton wool, impervious red bag, disinfectant, biocide, household gloves
- Pack: 1 in a carton



RS009-2

FIRST AID CASE - REG 3, 7

- Item Code : RS011
- Application: Storage of reg 3 and 7 first aid supplies
- Features: sturdy, durable metal case with handle
- Pack: 1 in a carton



RS011

SNAKE BITE LEGGINGS

- Item Code : LEG01
- Application: ankle to knee protection
- Features: durable canvas lining, 3 adjustable straps, velcro fasteners, metatarsal protector
- Pack: 1 in a carton



LEG01

CAP LAMP BELT

- Item Code : BELT004
- Underground miners belt with battery and self rescue strap
- Size: S-XL
- Pack: 1 in a carton



BELT04

KNEE PADS


- Item Code : A036
- Application: Rubber knee pad, construction
- Fabrication: PU 25mm black waterproof
- Size: 150x150x60mm
- Pack: 50 in a carton



A036

KIDNEY BELTS

- Item Code : A034
- Elasticated kidney belt with back support
- Size: S 100cm, M 105cm, L 110cm, XL 115cm
- Pack: 40 in a carton



A034

RED TRAFFIC CONE - BLACK BASE


- Item Code : TC500-E
  TC750-E
  TC1000-E
- Pack: 10 in a carton



TC500-E

ORANGE PVC TRAFFIC CONE - REF TAPE


- Item Code : TC300-P
  TC450-P
  TC700-P
  TC900-P
- Feature: 100% PVC, UV resistant, cold resistant, durable and flexible, micro-prismatic reflective sheeting
- Pack: 20 in a carton



TC300-P

FOLD AWAY TRAFFIC CONE - REF TAPE

- Item Code : TC400
  TC700
- Pack: 10 in a carton



TC400

SOFT LIME PVC TRAFFIC CONE

- Item Code : TC450-P-LIME
  TC700-P-LIME
- Pack: 20 in a carton




TC450-P-LIME

ORANGE BARRIER NETTING

• Item Code : EP008
• Plastic barrier net
• Fabrication: PE, 3kg / 4.5 orange high visibility, light weight, durable and anti corrosion, reusable
• Size: 1.0m x 50m roll
• Application: Enclosing working areas, restricting areas
• Pack: 1 roll per polybag

• Item Code : EP009
• Plastic barrier net
• Fabrication: PE, 3kg / 4.5 orange high visibility, light weight, durable and anti corrosion, reusable
• Size: 1.2m x 50m roll
• Application: Enclosing working areas, restricting areas
• Pack: 1 roll per polybag



EP008

ORANGE/YELLOW WOVEN BARRIER NET

• Item Code : EP009-YO
• Orange and yellow woven barrier net
• Fabrication: PE, 2kg / 4.5 orange/yellow high visibility, light weight, durable and anti corrosion, reusable
• Size: 1.0m x 50m roll
• Application: Enclosing working areas, restricting areas
• Pack: 1 roll per polybag



EP009-YO

BARRIER TAPE

• Item Code : BT100 - Red/White
BT500 - Red/White
BT500-YN - Black/Yellow
• Barrier tape, high quality print, stretch design offers exceptional strength
• Application: Construction, demarcating areas
• Pack: 20 rolls per polybag



BT100

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

BUGGY WHIP FLAG - ORANGE


- Item Code : BWF001
- Description: orange reflective flag
- Pack: 20 in a carton

BUGGY WHIP FLAG - RED

- Item Code : BWS001
- Description: red reflective flag
- Pack: 20 in a carton


BUGGY WHIP

- Item Code : BW01 - Foldable one piece
  BW02 - Foldable two piece
  BW03 - Foldable three piece
- Description: orange reflective flag, complete with sleeve and bag
- Pack: 20 in a carton




RED FLAGS - WOODEN HANDLE

- Item Code : RFR-001 - Red flag wooden handle
  RFR-002 - Red flag wooden handle with reflective tape



WARNING LIGHT

- Item Code : L002 / L003 / L004
- Description: 12V revolving light / flash strobe / strobe light / cordless strobe light
- Pack: 1 in a carton



CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - info@rennow.co.za

WARNING TRIANGLE - STEEL

- Item Code : EP013
- Description: steel warning triangle
- Pack: 50 in a carton



EP013

WARNING TRIANGLE - PLASTIC

- Item Code : EP014
- Description: plastic warning triangle
- Pack: 20 in a carton



EP014

HAND MODEL


- Item Code : HAND01



HAND01

HEAD MODEL


- Item Code : HEAD01



HEAD01

MANNEQUIN - MALE MODEL

- Item Code : MANQ01



MANQ01

CONTACT US TO ENQUIRE ABOUT OUR OTHER ITEMS - 011 057 6004 / WhatsApp 061 514 8053

CONTACT US

RENNOW
PROJECTS

RENNOW
PROJECTS

145 Diesel Road
New Era
Springs

Tel: 011 057 6004

WhatsApp: 061 514 8053

info@rennow.co.za

www.rennow.co.za

A PROMISE WE MAKE IS A PROMISE WE KEEP.